THE JOURNAL OF

PROSTHETIC DENTISTRY

FOUNDED IN 1951 BY

The Academy of Denture Prosthetics
The American Prosthodontic Society
The Pacific Coast Society of Prosthodontists

SPONSORING ORGANIZATIONS

Federation of Prosthodontic Organizations
The Academy of Denture Prosthetics
The American Prosthodontic Society
The Pacific Coast Society of Prosthodontists
The American Academy of Restorative Dentistry
The American Academy of Crown and Bridge Prosthodontics
The Greater New York Academy of Prosthodontics
The Southeastern Academy of Prosthodontics
The American Academy of Maxillofacial Prosthetics
The American Equilibration Society
The American Academy of Implant Dentistry
The Canadian Academy of Prosthodontics
The American College of Prosthodontists
The Carl O. Boucher Prosthodontic Conference
Northeastern Gnathological Society
Midwest Academy of Prosthodontics
Northeastern Prosthodontic Society
Association of Prosthodontists of Canada
American Academy of Esthetic Dentistry
American Academy of Craniomandibular Disorders
The Florida Prosthodontic Association

ORGANIZATION EDITORS

Robert D. Schweitzer
Glen P. McGivney
William A. Jennings
Thomas Curtis
William W. Howard
William F. P. Malone
Louis J. Boucher
Jack H. Rayson
Thomas A. Curtis
William Sulik
Paul J. Mentag
Robert E. Hoar
Dale H. Andrews
Robert W. Elliott, Jr.
Nathaniel H. Lenchner
Ross L. Taylor
James B. Gallagher, Jr.
Aaron H. Fenton
Lester E. Rosenthal
Joseph A. Gibilisco
Davis Henderson

VOLUME 54
Copyright © 1985
THE C. V. MOSBY COMPANY

(All rights reserved)
Printed in the United States of America

THE JOURNAL OF

PROSTHETIC DENTISTRY

FOUNDED IN 1951 BY

The Academy of Denture Prosthetics
The American Prosthodontic Society
The Pacific Coast Society of Prosthodontists

SPONSORING ORGANIZATIONS

Federation of Prosthodontic Organizations
The Academy of Denture Prosthetics
The American Prosthodontic Society
The Pacific Coast Society of Prosthodontists
The American Academy of Restorative Dentistry
The American Academy of Crown and Bridge Prosthodontics
The Greater New York Academy of Prosthodontics
The Southeastern Academy of Prosthodontics
The American Academy of Maxillofacial Prosthetics
The American Equilibration Society
The American Academy of Implant Dentistry
The Canadian Academy of Prosthodontics
The American College of Prosthodontists
The Carl O. Boucher Prosthodontic Conference
Northeastern Gnathological Society
Midwest Academy of Prosthodontics
Northeastern Prosthodontic Society
Association of Prosthodontists of Canada
American Academy of Esthetic Dentistry
American Academy of Craniomandibular Disorders
The Florida Prosthodontic Association

ORGANIZATION EDITORS

Robert D. Schweitzer
Glen P. McGivney
William A. Jennings
Thomas Curtis
William W. Howard
William F. P. Malone
Louis J. Boucher
Jack H. Rayson
Thomas A. Curtis
William Sulik
Paul J. Mentag
Robert E. Hoar
Dale H. Andrews
Robert W. Elliott, Jr.
Nathaniel H. Lenchner
Ross L. Taylor
James B. Gallagher, Jr.
Aaron H. Fenton
Lester E. Rosenthal
Joseph A. Gibilisco
Davis Henderson

VOLUME 54
Copyright © 1985
THE C. V. MOSBY COMPANY

(All rights reserved)
Printed in the United States of America

INDEX TO VOLUME 54

Author index

A

Abrams, B. L. (*See* Fox et al), 258
Abramson, N. H. (*See* Dirtoft et al), 843
Adishian, S. R. (*See* Leung et al), 645
Al-Amer, A. Method to reassemble a dislodged die, 313
Anderson, G. C. (*See* Schulte et al), 118
Anderson, M. H., Loesche, W. J., and Charbeneau, G. T. Bacteriologic study of basic fuchsin caries-disclosing dye, 51
Antopolski, B. (*See* Assif et al), 20
Anusavice, K. J., Okabe, T., Galloway, S. E., Hoyt, D. J., and Morse, P. K. Flexure test evaluation of presoldered base metal alloys, 507
Appleby, D. C., Smith, W., Lontz, J. F., and Mingledorff, E. B. Combined reversible/irreversible hydrocolloid impression systems: Comparative analysis, 672
Aquilino, S. A., Jordan, R. D., and Gregorich, H. Repairing crown perforations, 310
— (*See* Leary et al), 604
— (*See* Taylor et al), 140
Aramany, M.A., and Myers, E. N. Surgical and prosthetic treatment of superficial carcinoma of oral cavity, 820
— (*See* Beery et al), 241
Arfaei, A. H. (*See* Asgar and Arfaei), 60
Arnett, W. S. (*See* Firtell et al), 226
Asgar, K., and Arfaei, A. H. Castability of crown and bridge alloys, 60
Assif, D., Antopolski, B., Helft, M., and Kaffe, I. Comparison of methods for clinical evaluation of marginal fit of complete cast gold crowns, 20
Azarbal, M. (*See* Elarbi et al), 674

B

Bagheri, J., and Denehy, G. Effect of restoration thickness at cavosurface bevel on class IV acid-etched retained composite resin restoration, 175
Bando, E., Kawashima, T., Tiu, I. T., Kubo, Y., and Nakano, M. Removing dowels in difficult teeth, 34
Barghi, N., Pedrero, J. A. F., and Bosch, R. R. Effects of batch variation on shade of dental porcelain, 625
— (*See* Moore et al), 336
Barrett, G. D. Reproducible split-cast procedure for remounting complete denture master cast, 737
— Surgical stent fabrication for hydroxyapatite augmentation of edentulous ridge, 215
Barrett, N. V. J., and Brukl, C. E. Compatibility of agar hydrocolloid duplicating materials with dental stones, 586
Bashiri, H., and Yale, S. H. Comparative radiography of artifically created mandibular condyle defects, 263
Beck, D. A. (*See* Janus et al), 517
Beery, Q. C., Aramany, M. A., and Katzenberg, B. Oral endoscopy in prosthodontic management of soft palate defect, 241
Behrend, D. A. Esthetic control system for fixed and removable prosthodontics, 488
Bell, W. T., Chalian, V. A., and Moore, B. K. Polydimethyl siloxane materials in maxillofacial prosthetics: Evaluation and comparison of physical properties, 404
Bellagamba, R. L. Effects of prewetting on postsoldering of base metal alloys, 355
Bello, J. A., Myers, M. L., Graser, G. N., and Jarvis, R. H. Bond strength and microleakage of porcelain repair materials, 788
Bennett, J. E. (*See* Chalian et al), 560
Bernier, S. H. (*See* Chamberlain et al), 78
Berry, D. C. (*See* Singh and Berry), 711
Berta, J-J. (*See* Wiskott and Berta), 312
Beumer, J. (*See* Schwartzman et al), 397
Beumer, III J. (*See* Marunick et al), 553
Blais, D. (*See* Monday and Blais), 194
Bloem, T. J. (*See* Chamberlain et al), 78
Bomberg, T. J., Hatch, R. A., and Hoffman, Jr., W. Impression material thickness in stock and custom trays, 170
Boonsiri, I. (*See* Lacy et al), 367
Bosch, R. R. (*See* Barghi et al), 625
Bowers, J. E., Vermilyea, S. G., and Griswold, W. H. Effect of metal conditioners on procelain-alloy bond strength, 201
Boyer, D. B. (*See* Chan and Boyer), 643
Bozzetti, A., Collini, M., Ravasini, G., and Gennari, P. U. Temporary intranasal prosthesis for surgical defect of septum and columella, 824
Brady, T., Doukoudakis, A., and Rasmussen, S. T. Experimental comparison between perforated and etched-metal resin-bonded retainers, 361
Brantley, C. F. (*See* Haywood et al), 621
— (*See* Kanoy and Brantley), 757
Brantley, W. A. (*See* Schiffleger et al), 770
Brinsden, G. I. (*See* Ecker et al), 207
Broner, A. S. (*See* Klein and Broner), 660
Brudvik, J. S. (*See* Jasim et al), 532
Brukl, C. E. (*See* Barrett and Brukl), 586
— (*See* Moore et al), 336
— (*See* Schelb et al), 122
Brunette, D. M. (*See* Kavanagh et al), 252
Buchanan, W. T., and Shay, J. Solid base working cast, 152
Budtz-Jørgensen, E., Isidor, F., and Karring, T. Cantilevered fixed partial dentures in geriatric population: Preliminary report, 467
Bullard, J. T., Dill, R. E., Marker, V. A., and Payne, E. V. Effects of sputtered metal oxide films on the ceramic-to-metal bond, 776

C

Callison, G. M. Bitefork modification to aid in orienting the tentative occlusal plane, 448
Calomeni, A. A. (*See* Jones and Calomeni), 312
Campagni, W. V. Technique for cementation of provisional restorations, 13
—, Rivera, S., and Davidoff, S. R. Simplified techniques for preparation and use of reversible hydrocolloid impression material, 167
— (*See* Donovan et al), 522
Campbell, D. J. (*See* Hansen and Campbell), 805
Campbell, S. D., Riley, E. J., and Sozio, R. B. Evaluation of new epoxy die material, 136
Capp, N. J., and Clayton, J. A. Technique for evaluation of centric relation tooth contacts. Part I: During normal temporomandibular joint function, 569; Part II: Following use of occlusal splint for treatment of temporomandibular joint dysfunction, 697
Caputo, A. A. (*See* Reitz and Caputo), 220
— (*See* Schwartzman et al), 397
Cardash, H. S. (*See* Shemen and Cardash), 200
Carlsson, G. E. (*See* Wedel and Carlsson), 420
Carpenter, K. E. (*See* Molvar et al), 5
Casey, C. H., Savoy, II, J. E., and Savoy, B. B. Ceramometal restorations and broken-stress fixed prosthesis, 331
Casey, D. M. Role of maxillofacial prosthodontists in detection of recurrent head and neck cancer, 678
Caswell, C. W. (*See* Duncan et al), 599

July, 1-166; August, 167-324; September, 325-460; October, 461-620; November, 621-756; December, 757-902

CAVAZOS, JR., E., (*See* Woods and Cavazos), 501
CHALIAN, V. A., BENNETT, J. E., SAYOC, A. M., AND GHALICHEBAF, M. Auricular compression stent, 560
— (*See* Bell et al), 404
CHAMBERLAIN, B. B., BERNIER, S. H., BLOEM, T. J., AND RAZZOOG, M. E. Denture plaque control and inflammation in edentulous patient, 78
CHAMBLESS, JR., L. A., AND LORENZANA, R. E. Separating agent for direct lift-off porcelain shoulder restorations, 606
CHAN, K. C., AND BOYER, D. B. Curing light-activated composite resins through dentin, 643
— (*See* Luebke and Chan), 431
CHAPMAN, K. W., WORLEY, J. L., AND VON FRAUNHOFER, J. A. Retention of prefabricated posts by cements and resins, 649
CHARBENEAU, G. T. (*See* Anderson et al), 51
— (*See* Molvar et al), 5
CHAUNCEY, H. H. (*See* Rissin et al), 461
CHEN, M-S., EICHHOLD, W. A., WELKER, W. A., AND CHIEN, C-C. Simplicity in interim tooth-supported removable partial denture construction, 740
CHEW, C. L. Acid-etched fixed partial denture: Two-year report, 173
CHIEN, C-C. (*See* Chen et al), 740
CHOU, T-M., AND PAMEIJER, C. H. Application of microdentistry in fixed prosthodontics, 36
CHRYSTIE, J. A. Device for establishing occlusal plane for complete dentures, 447
CHU, G. W. (*See* Sickels et al), 578
CLAYTON, J. A. Pantographic reproducibility index for use in diagnosing temporomandibular joint dysfunction: Report on research, 827
— (*See* Capp and Clayton), 569; 697
COFFEY, J. P., GOODKIND, R. J., DELONG, R., AND DOUGLAS, W. H. In vitro study of wear characteristics of natural and artificial teeth, 273
COLAIZZI, F. A. (*See* Javid et al), 232
COLLINI, M. (*See* Bozzetti et al), 824
COONEY J. P., RICHTER, W. A., AND MACENTEE, M. I. Evaluation of ceramic margins for metal-ceramic restorations, 1
CORNELL, C. E. (*See* (Williams et al), 146
COVINGTON, J. S., MCBRIDE, M. A., SLAGLE, W. F., AND DISNEY, A. L. Quantization of nickel and beryllium leakage from base metal casting alloys, 127
CREAVEN, P. J. (*See* Smales and Creaven), 340
CROWTHER, D. S. (*See* Hurtado and Crowther), 245

D

DAVID, L. J. (*See* Ogle et al), 67
DAVIDOFF, S. R. (*See* Campagni et al), 167
DAVIS, M. A. (*See* Mishkin et al), 290
DE ARAUJO, P. A., AND JORGENSEN, K. D. Effect of material bulk and undercuts on accuracy of impression materials, 791
—, —, AND FINGER, W. Viscoelastic properties of setting elastomeric impression materials, 633
DE LAAT, A., AND VAN STEENEBERGHE, D. Occlusal relationships and temporomandibular joint dysfunction. Part I: Epidemiologic findings, 835
DELONG, R. (*See* Coffey et al), 273
DENEHY, G. (*See* Bagheri and Denehy), 175
DESJARDINS, R. P. Hydroxyapatite for alveolar ridge augmentation: Indications and problems, 374
DHURU, V. B. (*See* Schiffleger et al), 770
DILL, R. E. (*See* Bullard et al), 776
DIRTOFT, B. I., JANSSON, J-F., AND ABRAMSON, N. H. Using holography for measurements of in vivo deformation in complete maxillary denture, 843
DISNEY A. L. (*See* Covington et al), 127
DONOVAN, T. E., HURST, R. G., AND CAMPAGNI, W. V. Physical properties of acrylic resin polymerized by four different techniques, 522
DOUGLAS, W. H. (*See* Coffey et al), 273
DOUKOUDAKIS, A. (*See* Brady et al), 361
— (*See* Fox et al), 258
DRAGO, C. J. Irreversible hydrocolloid impressions for full-banded orthodontic patients, 372
DRAHEIM, R. N., AND MURREY, A. J. Compressive strength of two calcium hydroxide bases, 365
DUNCAN, J. D., CASWELL, C. W., AND ROMMERDALE, E. H. Simplified technique for placement of medical-grade adhesive silicone denture liner, 599
DUNCANSON, JR., M. (*See* Jacobi et al), 178
DYKEMA, R. W. (*See* West et al), 636

E

ECKER, G. A., MOSER, J. B., WOZNIAK, W. T., AND BRINSDEN, G. I. Effect of repeated firing on fluorescence of porcelain-fused-to-metal porcelains, 207
EICHHOLD, W. A. (*See* Chen et al), 740
EKSTRAND, J., JORGENSEN, R. B., AND HOLLAND, R. I. Influence of variations in preparation of dental amalgam on dimensional stability and porosities, 349
— (*See* Holland et al), 189
ELARBI, E. A., ISMAIL, Y. H., AZARBAL, M., AND SAINI, T. S. Radiographic detection of porosities in removable partial denture castings, 674
ENGELMEIER, R. L. Technique for constructing custom thumb-chewing guards, 153
EPSTEIN, J. B., STAFEHL, D. M., AND STEVENSON-MOORE, P. Use of intraoral prostheses in external beam radiation of oral and perioral cancer, 100
ERDMAN, A. G. (*See* Schulte et al), 118
ESTERMAN, A. (*See* Penhall et al), 230

F

FAIRHURST, C. W. (*See* Smith et al), 778
FALKLER, JR., W. A. (*See* Williams et al), 725
FAN, P. L. (*See* Leung et al), 645
FAUCHER, R. R. (*See* Linke et al), 794
FELDMAN, R. S. (*See* Rissin et al), 461
FERRACANE, J. L., MOSER, J. B., AND GREENER, E. H. Ultraviolet light-induced yellowing of dental restorative resins, 483
FICARA, A. (*See* Hanson et al), 846
FINGER, I. M. (*See* Ritchie et al), 854
FINGER, W. (*See* de Araujo et al), 633
FIRTELL, D. N., ARNETT, W. S., AND HOLMES, J. B. Pressure indicators for removable prosthodontics, 226
—, MUNCHERYAN, A. M., AND GREEN, A. J. Laboratory accuracy in casting removable partial denture frameworks, 856
FONG, B. J. (*See* Nimmo et al), 814
FOX, C. W., ABRAMS, B. L., WILLIAMS, B., AND DOUKOUDAKIS, A. Protrusive positioners, 258
FRALEIGH, E. M. (*See* Moergeli et al), 286
FUKS, A. B., HIRSCHFELD, Z., AND GRAJOWER, R. Marginal leakage of cervical resin restorations with bonding agent, 654

G

GABRYL, R. S., MAYHEW, R. B., HANEY, S. J., AND WILSON, A. H. Effect of temporary cementing agent on retention of castings for composite resin cores, 183
GALLOWAY, S. E. (*See* Anusavice et al), 507
GARDNER, F. M. (*See* Thornton et al), 603
GARDNER, L. K. (*See* Parr et al), 410
— (*See* Toth et al), 564
GATEWOOD, R. R. (*See* Young et al), 64
GENNARI, P. U. (*See* Bozzetti et al), 824
GERSCHMAN, J. A. (*See* Reade et al), 110
GETZ I. I. Making full-covering restoration on abutment to fit existing removable partial denture, 335
GHALICHEBAF, M. (*See* Chalian et al), 560
GHOLSTON, L. R., MATTISON, G. D., AND MCCANN, V. C. Endodontic considerations in design of acid-etched anterior splints for patients with reduced periodontal support, 29
GOHO, C. Reusable cavity liner dispensers and cross-contamination, 803
GOLDFOGEL, M. H., AND LAMBERT, R. L. Cantilever fixed prosthesis replacing maxillary lateral incisor: Design consideration, 477
—, HARVEY, W. L., AND WINTER, D. Dimension change of acrylic resin tray materials, 284
— (*See* Lambert and Goldfogel), 10

GOODACRE, C. J. (*See* West et al), 636
GOODKIND, R. J. (*See* Coffey et al), 273
GORDON, M., LAUFER, B.-Z., AND METZGER, Z. Composite-veneered amalgam restorations, 759
GORDON, S. R., AND STOFFER, W. M. Technique for transferring information from pantograph tracing to semiadjustable articulators, 503
GOULD, T. R. L. (*See* Kavanagh et al), 252
GRAJOWER, R. (*See* Fuks et al), 654
GRASER, G. N. (*See* Bello et al), 788
GRAY, B. J. (*See* Watson and Gray), 88
GREEN, A. J., AND NIMMO, A. Two-pour technique for investing interim partial dentures, 151
— (*See* Firtell et al), 856
GREENER, E. H. (*See* Ferracane et al), 483
GREGO, E. Visual aid for posterior composite resin restorations, 763
GREGORICH, H. (*See* Aquilino et al), 310
GRISWOLD, W. H. (*See* Bowers et al), 201
— (*See* Quinones et al), 359
GUERRA, L. R. (*See* Ritchie et al), 854
GWINNETT, A. J. (*See* Ullo and Gwinnett), 43

H

HAMADA, T., SHIGETO, N., AND YANAGIHARA, T. Decade of progress for adhesive fixed partial denture, 24
HANEY, S. J. (*See* Gabryl et al), 183
HANSEN, C. A. Diagnostically restoring reduced occlusal vertical dimension without permanently altering existing dentures, 671
— Metal minibases in removable prosthodontics, 442
—, AND CAMPBELL, D. J. Clinical comparison of two mandibular major connector designs: The sublingual bar and the lingual plate, 805
HANSEN, P. A., HUFF, T. L., AND TREBILCOCK, JR., C. E. Centric interocclusal record analyzer, 851
HANSON, B., SHERMAN, R., AND FICARA, A. Masseter muscle silent period in patients with internal derangement of temporomandibular joint before and after splint therapy, 846
HARKINS, S. J., AND MARTENEY, J. L. Extrinsic trauma: Significant precipitating factor in temporomandibular dysfunction, 271
HARRIS, J. M. (*See* Leary et al), 604
HARRISON, R. (*See* Marunick et al), 553
HART, J. K., AND SAKUMURA, J. S. Mandibular lateral side-shift and need for gnathologic instrumentation, 415
HARVEY, W. L. (*See* Goldfogel et al), 284
HASLER, J. F. (*See* Williams et al), 725
HATCH, R. A. (*See* Bomberg et al), 170
HAYWOOD, V. B., BRANTLEY, C. F., AND KOTH, D. L. Custom shade tabs for esthetic provisional restorations, 621
HEALEY, K. W. (*See* Jackson and Healey), 764
HELFT, M. (*See* Assif et al), 20
HEMBREE, JR., J. H. (*See* Staffanou et al), 204
— (*See* Welsh and Hembree), 370
HEYS, D. R. (*See* Molvar et al), 5
HEYS, R. J. (*See* Molvar et al), 5
HIJZEN, T. H., AND SLANGEN, J. L. Myofascial pain-dysfunction: Subjective signs and symptoms, 705
HIRSCHFELD, Z. (*See* Fuks et al), 654
HOFFMAN, JR., W. (*See* Bomberg et al), 170
HOLLAND, R. I., JØRGENSEN, R. B., AND EKSTRAND, J. Strength and creep of dental amalgam: Effects of deviation from recommended preparation procedure, 189
— (*See* Ekstrand et al), 349
HOLMES, J. B. (*See* Firtell et al), 226
HOLWILL, B. J. (*See* Reade et al), 110
HOOVER, C. I. (*See* Nimmo et al), 814
HOUSTON, J. C. (*See* Kotwal and Houston), 598
HOYT, D. J. (*See* Anusavice et al), 507
HUBER, L. R. (*See* Taylor et al), 140
HUFF, T. L. (*See* Hansen et al), 851
— (*See* Trebilcock et al), 657
HUFFMAN, R. W. (*See* Rosenblum and Huffman), 652
HURST, R. G. (*See* Donovan et al), 522
HURST, R. V. V. (*See* Ledoux et al), 55
HURTADO, A. J., AND CROWTHER, D. S. Methyl metacrylate stent for prevention of postexcisional recurrent ear keloid, 245

I

ISHIOKA, K. (*See* Yamada et al), 436
ISIDOR, F. (*See* Budtz-Jørgensen et al), 467
ISMAIL, Y. H. (*See* Elarbi et al), 674
IVANHOE, J. R. Alternative cingulum rest seat, 395

J

JACKSON, T. R., AND HEALEY, K. W. Chairside electrolytic etching of cast alloys for resin bonding, 764
JACOB, R. F., MARTIN, J. W., AND KING, G. E. Modification of surgical obturators to interim prostheses, 93
JACOBI, R., SHILLINGBURG, JR., H. T., AND DUNCANSON, JR., M. G. Effect of abutment mobility, site, and angle of impact on retention of fixed partial dentures, 178
JANSSON, J-F. (*See* Dirtoft et al), 843
JANUS, C. E., BECK, D. A., AND MOON, P. C. Quantitative study of soldered connector tensile strength using low-gold content alloys, 517
JARVIS, R. H. (*See* Bello et al), 788
JASIM, F. A., BRUDVIK, J. S., AND NICHOLLS, J. I. Impression distortion from abutment tooth inclination in removable partial dentures, 532
JAVID, N. S., MICHAEL, C. G., MOHAMMED, H. A., AND COLAIZZI, F. A. Three-dimensional analysis of maxillary denture displacement during reline impression procedure, 232
JOHNSON, D. L. (*See* Seals et al), 592
JONES, J. D., AND CALOMENI, A. A. Method for blockout of remount casts, 312
JORDAN, R. D. (*See* Aquilino et al), 310
JORGENSEN, K. D. (*See* de Araujo et al), 633
— (*See* de Araujo and Jorgensen), 791
JØRGENSEN, R. B. (*See* Ekstrand et al), 349
— (*See* Holland et al), 189

K

KAFFE, I. (*See* Assif et al), 20
— (*See* Schelb et al), 122
KAISER, D. A. (*See* Moore et al), 336
KANGVONKIT, P., LEMONS, J. E., AND MATUKAS, V. J. Compressive strength measurement and microstructure studies of hydroxyapatite cones, 691
KANOY, B. E., AND BRANTLEY, C. F. Indirect post and core fabrication using die-investment stone, 757
KAPLAN, P. Drifting, tipping, supraeruption, and segmental alveolar bone growth, 280
— Mantle irradiation of major salivary glands, 681
KAPUR, K. K. (*See* Rissin et al), 461
KARRING T. (*See* Budtz-Jørgensen et al), 467
KATZENBERG, B. (*See* Beery et al), 241
KAVANAGH, P., GOULD, T. R. L., BRUNETTE, D. M., AND WESTON, L. Rodent model for investigation of dental implants, 252
KAWASHIMA, T. (*See* Bando et al), 34
KECK, S. C. Automixing: New concept in elastomeric impression material delivery systems, 479
KELLEY, JR., T. W. (*See* Nelson et al), 307
KILGORE, J. L. (*See* Staffanou et al), 204
KING, G. E. (*See* Jacob et al), 93
KIRVESKARI, P., AND PUHAKKA, H. Effect of occlusal adjustment on globus symptom, 832
KLEIN, I. E., AND BRONER, A. S. Complete denture secondary impression technique to minimize distortion of ridge and border tissues, 660
KOTH, D. L. (*See* Haywood et al), 621
KOTWALL, K. R., AND HOUSTON, J. C. Alternate simplified techniques for rebasing complete dentures, 598
KUBO, Y. (*See* Bando et al), 34

L

LACY, A. M., MORA, A., AND BOONSIRI, I. Incidence of bubbles on samples cast in phosphate-bonded investment, 367
LAMBERT, R. L., AND GOLDFOGEL, M. H. Pin amalgam restorations and pin amalgam foundation, 10

—, Robinson, F. B., and Lindemuth, J. S. Coronal reinforcement with cross-splinted pin amalgam restorations, 346
— (*See* Goldfogel and Lambert), 477
LaPointe, L. L. (*See* Williams et al), 146
Laufer, B-Z. (*See* Gordon et al), 759
Laurell, K. A. Construction of ceramometal mandibular repositioning splint, 439
Laurell, L., and Lundgren, D. Chewing ability in patients restored with cross-arch fixed partial dentures, 720
Leary, J. M., Aquilino, S., and Harris, J. M. Alteration of wax occlusion rims, 604
Ledoux, W. R., Malloy, R. B., Hurst, R. V. V., McInnes-Ledoux, P., and Weinberg, R. Structural effects of bleaching on tetracycline-stained, vital rat teeth, 55
Lello, G. E., and Makek, M. Submucosal nodular chondrometaplasia in denture wearers, 237
Lemke, R. R. (*See* Van Sickels et al), 578
Lemons, J. E. (*See* Kangvonkit et al), 691
Leung, R. L., Adishian, S. R., and Fan, P. L. Postirradiation comparison of photoactivated composite resins, 645
Levin, A. C. (*See* Williams et al), 146
Levin, B., and Sanders, J. L. Results of survey of complete denture procedures taught in American and Canadian dental schools: Update, 302
Lewin-Epstein, J. (*See* Taicher et al), 818
Libonati, J. P. (*See* Williams et al), 725
Lindemuth, J. S. (*See* Lambert et al), 346
Linke, B. A., Nicholls, J. I., and Faucher, R. R. Distortion analysis of stone casts made from impression materials, 794
Loesche, W. J. (*See* Anderson et al), 51
Lontz, J. F. (*See* Appleby et al), 627
Lorenzana, R. E. (*See* Chambless and Lorenzana), 606
Luebke, R. J., and Chan, K. C. Effect of microwave oven drying on surface hardness of dental gypsum products, 431
Lundgren, D. (*See* Laurell and Lundgren), 720

M

MacEntee, M. I. (*See* Cooney et al), 1
Mahood, M. (*See* Yazdanie and Mahood), 543
Makek, M. (*See* Lello and Makek), 237
Malloy, R. B. (*See* Ledoux et al), 55
Marker, V. A. (*See* Bullard et al), 776
Marteney, J. L. (*See* Harkins and Marteney), 271
Martin, J. W. (*See* Jacob et al), 93
— (*See* Phankosol and Martin), 98
Marunick, M. T., Harrison, R., and Beumer, III, J. Prosthodontic rehabilitation of midfacial defects, 553
Mattison, G. D. (*See* Gholston et al), 29
Matukas, V. J. (*See* Kangvonkit et al), 691
Mayhew, R. B. (*See* Gabryl et al), 183
McAdam, D. B. Preparation of 135-degree shoulder for ceramometal margin using end-cutting bur, 473
McBride, M. A. (*See* Covington et al), 127
McCall, Jr., W. D. (*See* Plesh and McCall), 715
McCann, V. C. (*See* Gholston et al), 29
McDade, G. C. (*See* Taub et al), 15
McInnes-Ledoux, P. (*See* Ledoux et al), 55
McKinstry, R. E., and Zini, I. "Slush" technique in construction of intranasal stents, 107
Medlock, J. W., Zinck, J. H., Norling, B. K., and Sisca, R. F. Composite resin porosity with hand and syringe insertion, 47
Mendez, A. J. Application of prosthodontic techniques in private practice, 730
— Influence of trays on accuracy of stone casts poured from irreversible hydrocolloid impressions, 383
Metzger, Z. (*See* Gordon et al), 759
Michael, C. G. (*See* Javid et al), 232
Miller, III, A. W. (*See* Swepston and Miller), 623
Millstein, P. L. Accuracy of laminated wax interocclusal wafers, 574
Mingledorff, E. B. (*See* Appleby et al), 627
Mishkin, D. J., Davis, M. A., and Neville, B. W. Use of solubilized bovine-derived collagen as xenogeneic grafting material, 290
Mitchell, J. N. (*See* Taub et al), 15
Moergeli, Jr., J. R., Fraleigh, E. M., Ostrowski, J. S., Pelleu, Jr., G. B. Irritation of ocular tissue by irreversible hydrocolloids, 286
— (*See* Thornton et al), 603
Mohammed, H. A. (*See* Javid et al), 232
Molvar, M. P., Charbeneau, G. T., Carpenter, K. E., Heys, D. R., and Heys, R. J. Quality assessment of amalgam and inlay restorations on posterior teeth: Retrospective study, 5
Monday, J. J. L., and Blais, D. Marginal adaptation of provisional acrylic resin crowns, 194
Monteith, B. D. Cephalometric method to determine angulation of occlusal plane in edentulous patients, 81
— Cephalometrically programmed adjustable plane: New concept in occlusal plane orientation for complete-denture patients, 388
Moon, P. C. (*See* Janus et al), 517
Moor, T. L. Reproducibility of dispensing one brand of irreversible hydrocolloid powder by seven methods, 144
Moore, B. K. (*See* Bell et al), 404
— (*See* West et al), 636
Moore, D. J., Pishney, J. R., and Welch, T. B. Comparison of rigid and flexible obturation for surgical cleft soft palate, 548
— (*See* Young et al), 64
Moore, J. A., Barghi, N., Brukl, C. E., and Kaiser, D. A. Marginal distortion of cast restorations induced by cementation, 336
Mora, A. (*See* Lacy et al), 367
Morris, H. F. (*See* Stade et al), 538
Morse, P. K. (*See* Anusavice et al), 507
Moser, J. B. (*See* Ecker et al), 207
— (*See* Ferracane et al), 483
Moss, R. A. (*See* Vilarosa and Moss), 427
Muncheryan, A. M. (*See* Firtell et al), 856
Murray, H. V. (*See* Webb and Murray), 198
Murrey, A. J. (*See* Draheim and Murrey), 365
Myers, E. N. (*See* Aramany and Myers), 820
Myers, M. L. (*See* Bello et al), 788
—(*See* Staffanou et al), 204

N

Nakano, M. (*See* Bando et al), 34
Nelson, D. R., von Gonten, A. S., Kelley, Jr., T. W. Cast round RPA clasp, 307
Neville, B. W. (*See* Mishikin et al), 290
Newbrun, E. (*See* Nimmo et al), 814
Nicholls, J. I. (*See* Jasim et al), 532
— (*See* Linke et al), 794
Nimmo, A., Fong, B. J., Hoover, C. I., and Newbrun, E. Vacuum treatment of tissue conditioners, 814
— (*See* Green and Nimmo), 151
Norling, B. K. (*See* Medlock et al), 47

O

Ogle, R. E., David, L. J., and Ortman, H. R. Clinical wear study of new tooth material: Part II, 67
Okabe, T. (*See* Anusavice et al), 507
Ortman H. R. (*See* Ogle et al), 67
Ostrowski, J. S. (*See* Moergeli et al), 286

P

Pameijer, C. H. (*See* Chou and Pameijer), 36
Parr, G. R., Gardner, L. K., and Toth, R. W. Titanium: Mystery metal of implant dentistry. Dental materials aspects, 410
— (*See* Toth et al), 564
Payne, E. V. (*See* Bullard et al), 776
Pedrero, J. A. F. (*See* Barghi et al), 625
Pelleu, Jr., G. B. (*See* Moergeli et al), 286
Penhall, B., Roder, D., and Esterman, A. Increased tolerance to complete dentures after surgical modification of mylohyoid ridges, 230
Pesavento, J. R. (*See* Stade et al), 538
Phankosol, P., and Martin, J. W. Hollow obturator with removable lid, 98
Pishney, J. R. (*See* Moore et al), 548
Plesh, O., and McCall, Jr., W. D. Measurement of silent period durations by hand and by commercial device, 715

POHJOLA, R. T. (*See* Raustia et al), 581
PUHAKKA, H. (*See* Kirveskari and Puhakka), 832

Q

QUINONES, E. E., VERMILYEA, S. G., AND GRISWOLD, W. H. Apparent bond strength of nonnoble alloy-porcelain combinations, 359

R

RASMUSSEN, S. T. (*See* Brady et al), 361
RAUSTIA, A. M., POHJOLA, R. T., AND VIRTANEN, K. K. Acupuncture compared with stomatognathic treatment for TMJ dysfunction. Part I: Randomized study, 581
RAVASINI, G. (*See* Bozzetti et al), 824
RAZZOOG, M. E. (*See* Chamberlain et al), 78
READE, P. C., WARDROP, R. W., HOLWILL, B. J., WRIGHT, J., AND GERSCHMAN, J. A. Management of patients with acute temporomandibular joint disorders, 110
REHANY, A. (*See* Revah et al), 325
REISBERG, D. J., AND SMITH, B. E. Aerodynamic assessment of prosthetic speech aids, 686
REISBICK, M. H. Precious and noble-based casting alloys, 785
REITZ, P. V., AND CAPUTO, A. A. Photoelastic study of stress distribution by mandibular split major connector, 220
RENDER, P. J. Bony deposition under fixed partial denture, 524
REVAH, A., REHANY, A., ZALKIND, M., AND STERN, N. Tilted posterior tooth. Part III: Abutment for fixed partial denture, 325
RICHTER, W. A. (*See* Cooney et al), 1
RILEY, E. J. (*See* Campbell et al), 136
RISSIN, L., FELDMAN, R. S., KAPUR, K. K., AND CHAUNCEY H. H. Six-year report of periodontal health of fixed and removable partial denture abutment teeth, 461
RITCHIE, J. R., GUERRA, L. R., AND FINGER, I. M. Simple technique for boxing complete denture impression, 854
RIVERA, S. (*See* Campagni et al), 167
RIVERS, J. A. (*See* Staffanou et al), 204
ROBINSON, F. B. (*See* Lambert et al), 346
RODER, D. (*See* Penhall et al), 230
ROMMERDALE, E. H. (*See* Duncan et al), 599
ROSENBLUM, R. H., AND HUFFMAN, R. W. Leaf gauge with consecutively numbered leaves, 652
RUFFINO, A. R. Effect of steel strengtheners on fracture resistance of acrylic resin complete denture base, 75
RUGH, J. D. (*See* Van Sickels et al), 578

S

SAINI, T. S. (*See* Elarbi et al), 674
SAKUMURA, J. S. (*See* Hart and Sakumura), 415
— (*See* Young et al), 64
SANDERS, J. L. (*See* Levin and Sanders), 302
SAVOY, B. B. (*See* Casey et al), 351
SAVOY, II, J. E. (*See* Casey et al), 331
SAYOC, A. M. (*See* Chalian et al), 560
SCHELB, E., KAISER, D. A., AND BRUKL, C. E. Thickness and marking characteristics of occlusal registration strips, 122
SCHIFFLEGER, B. E., ZIEBERT, G. J., DHURU, V. B., BRANTLEY, W. A., AND SIGAROUDI, K. Comparison of accuracy of multiunit one-piece castings, 770
SCHMITT, S. M. Combination syndrome: Treatment approach, 664
SCHNEIDER, R. L. Diagnosing functional complete denture fractures, 809
SCHULTE, J. K., WANG, S. H., ERDMAN, A. G., AND ANDERSON, G. C. Working condylar movement and its effects on posterior occlusal morphology, 118
SCHWARTZMAN, B., CAPUTO, A. A., AND BEUMER, J. Occlusal force transfer by removable partial denture designs for radical maxillectomy, 397
SEALS, JR. R. R., JOHNSON, D. L., AND STRATTON, R. J. Evaluation system for teaching clinical removable prosthodontics, 592
SELA, M. (*See* Taicher et al), 95; 818
SHAY, J. (*See* Buchanan and Shay), 152
SHEETS, J. L. (*See* Trebilcock et al), 657
SHEMEN, B. B., AND CARDASH, H. S. Technique for removing cemented posts, 200
SHERMAN, JR., J. R. Preimpression preparation for positive recovery of master casts, 19
SHERMAN, R. A. Relationships between jaw pain and jaw muscle contraction level: Underlying factors and treatment effectiveness, 114
— (*See* Hanson et al), 846
SHILLINGBURG, JR., H. T. (*See* Jacobi et al), 178
SHIGETO, N. (*See* Hamada et al), 24
SIGAROUDI, K. (*See* Schiffleger et al), 770
SINGH, B. P., AND BERRY, D. C. Occlusal changes following use of soft occlusal splints, 711
SISCA, R. F. (*See* Medlock et al), 47
SLAGLE, W. F. (*See* Covington et al), 127
SLANGEN, J. L. (*See* Hijzen and Slangen), 705
SMALES, R. J., AND CREAVEN, P. J. Evaluation of three clinical methods for assessing amalgam and resin restorations, 340
SMITH, B. E. (*See* Reisberg and Smith), 686
SMITH, C. D., TWIGGS, S. W., FAIRHURST, C. W., AND ZWEMER, J. D. Determining marginal discrepancy of cast complete crowns, 778
SMITH, D. E. Does one articulator meet needs of both fixed and removable prosthodontics, 296
SMITH, W. (*See* Appleby et al), 627
SOZIO, R. B. (*See* Campbell et al), 136
STADE, E. H., STEWART, G. P., MORRIS, H. F., AND PESAVENTO, J. R. Influence of fabrication technique on wrought wire clasp flexibility, 538
STAFEHL, D. M. (*See* Epstein et al), 100
STAFFANOU, R. S., HEMBREE, JR., J. H., RIVERS, J. A., MYERS, M. L., AND KILGORE, J. L. Leakage study of three esthetic veneering materials, 204
STEINBERG, H. M. (*See* Taicher et al), 95; 818
STERN, N. (*See* Revah et al), 325
STEVENSON-MOORE, P. (*See* Epstein et al), 100
STEWART, G. P. (*See* Stade et al), 538
STOFFER, W. M. (*See* Gordon and Stoffer), 503
STOHLER, C. S. (*See* Yamada et al), 436
STRATTON, R. J. (*See* Seals et al), 592
STUBER, F. E. (*See* Taub et al), 15
SWEPSTON, J. H., AND MILLER, III, A. W. Esthetic matching, 623

T

TAICHER, S., STEINBERG, H., LEWIN-EPSTEIN, J., AND SELA, M. Acrylic resin stents for marsupialization, 818
—, —, TUBIANA, I., AND SELA, M. Modified stock-eye ocular prosthesis, 95
TARLOW, J. L. Aid in making provisional fixed restoration, 605
TAUB, H. A., STUBER, F. E., MITCHELL, J. N., AND MCDADE, G. C. Freedom of choice for restorative dentistry with or without anesthesia, 15
TAUTIN, F. S. Impression making for osseointegrated dentures, 250
TAYLOR, T. D., HUBER, L. R., AQUILINO, S. A. Analysis of lateral condylar adjustment of nonarcon semiadjustable articulators, 140
THOMAS-WEINTRAUB, A. Dental needs and dental service use patterns of elderly edentulous population, 520
THORNTON, L. J., MOERGELI, JR., J. R., AND GARDNER, F. M. Device to facilitate replacement of pantograph styli elastics, 603
TIU, I. T. (*See* Bando et al), 34
TOTH, R. W., PARR, G. R., AND GARDNER, L. K. Soft tissue response to endosseous titanium oral implants, 564
— (*See* Parr et al), 410
TREBILCOCK, JR., C. E., SHEETS, J. L., AND HUFF, T. L. Verification index to ensure soldering accuracy, 657
— (*See* Hansen et al), 851
TUBIANA, I. (*See* Taicher et al), 95
TWIGGS, S. W. (*See* Smith et al), 778

U

ULLO, C. A., AND GWINNETT, A. J. Thermal and abrasive techniques for removal of resins from acid-etched retainers, 43
UTLEY, J. L. Chairside fabrication of acrylic resin temporary crown, 736

V

VAN NIEUWENHUYSEN, J. P., AND VREVEN, J. Retention and depth of insertion of two self-threading pins, 496

VAN SICKELS, J. E., RUGH, J. D., CHU, G. W., AND LEMKE, R. R. Electromyographic relaxed mandibular position in long-faced subjects, 578
VAN STEENBERGHE, D. (*See* de Laat and van Steenberghe), 835
VERMILYEA, S. G. (*See* Bowers et al), 201
— (*See* Quinones et al), 359
VILLAROSA, G. A., AND MOSS, R. A. Oral behavioral patterns as factors contributing to development of head and facial pain, 427
VIRTANEN, K. K. (*See* Raustia et al), 581
VON FRAUNHOFER, J. A. (*See* Chapman et al), 649
VON GONTEN A. S. (*See* Nelson et al), 307
VREVEN, J. (*See* Van Nieuwenhuysen and Vreven), 496

W

WALTERS R. A. Three-in-one periodontal aid for overdenture abutment teeth, 156
WANG, S. H. (*See* Schulte et al), 118
WARDROP, R. W. (*See* Reade et al), 110
WATSON, R. M., AND GRAY, B. J. Assessing effective obturation, 88
WEBB, E. L., AND MURRAY, H. V. Temporization of severely fractured vital anterior teeth, 198
WEDEL, A., AND CARLSSON, G. E. Factors influencing outcome of treatment in patients referred to temporomandibular joint clinic, 420
WEINBERG, R. (*See* Ledoux et al), 55
WEINER, S. Amalgam cores with acrylic resin transition crowns as matrix, 187
WELCH, T. B. (*See* Moore et al), 548
WELKER, W. A. (*See* Chen et al), 740
WELSCH, B. Rapid and economic dowel pin placement, 604
WELSH, E. L., AND HEMBREE, JR., J. H. Microleakage at gingival wall with four Class V anterior restorative materials, 370
WEST, A. J., GOODACRE, C. J., MOORE, B. K., AND DYKEMA, R. W. Comparison of four techniques for fabricating collarless metal-ceramic crowns, 636
WESTON, L. (*See* Kavanagh et al), 252
WILLIAMS, B. (*See* Fox et al), 258
WILLIAMS, H. N., FALKLER, JR., W. A., HASLER, J. F., AND LIBONATI, J. P. Recovery and significance of nonoral opportunistic pathogenic bacteria in dental laboratory pumice, 725
WILLIAMS, W. N., LEVIN, A. C., LAPOINTE, L. L., AND CORNELL, C. E. Bite force discrimination by individuals with complete dentures, 146
WILSON, A. H. (*See* Gabryl et al), 183
WINTER, D. (*See* Goldfogel et al), 284
WISKOTT, A. H. W., AND BERTA, J-J. Protection of critical surfaces during cast trimming, 312
WOODS, J. A., AND CAVAZOS, JR., E. Effects of porcelain-metal junction angulation on porcelain fracture, 501
WORLEY, J. L. (*See* Chapman et al), 649
WOZNIAK, W. T. (*See* Ecker et al), 207
WRIGHT, J. (*See* Reade et al), 110

Y

YALE, S. H. (*See* Bashiri and Yale), 263
YAMADA, Y., STOHLER, C. S., AND ISHIOKA, K. Real-time analysis of electromyograms in clinical dentistry, 436
YANAGIHARA, T. (*See* Hamada et al), 24
YAZDANIE, N., AND MAHOOD, M. Carbon fiber acrylic resin composite: Investigation of transverse strength, 543
YOUNG, JR., L., GATEWOOD, R. R., MOORE, D. J., AND SAKUMURA, J. S. Surgical templates for immediate denture insertion, 64

Z

ZALKIND, M. (*See* Revah et al), 325
ZARB, G. A. Change of section title from "Temporomandibular Joint and Occlusion" to "Craniomandibular Function and Dysfunction", 568
ZIEBERT, G. J. (*See* Schiffleger et al), 770
ZINCK, J. H. (*See* Medlock et al), 47
ZINI, I. (*See* McKinstry and Zini), 107
ZWEMER, J. D. (*See* Smith et al), 778

Subject index

A

Abrasive and thermal techniques for removal of resins from acid-etched retainers (Ullo and Gwinnett), 43
Abutment for fixed partial denture, part III: Tilted posterior tooth (Revah et al), 325
  making full-coverage restoration on, to fit existing removable partial denture (Getz), 335
  mobility, site, and angle of impact, effect of, on retention of fixed partial dentures (Jacobi et al), 178
  tooth (teeth), fixed and removable partial denture, six-year report of periodontal health of (Rissin et al), 461
    inclination in removable partial dentures, impression distortion from (Jasim et al), 532
    overdenture, three-in-one periodontal aid for (Tips) (Walters), 156
Accuracy of impression materials, effect of material bulk and undercuts on (de Araujo and Jorgensen), 791
  multiunit one-piece castings, comparison of (Schiffleger et al), 770
  stone casts poured from irreversible hydrocolloid impressions, influence of trays on (Mendez), 383
Accuracy—cont'd
  laboratory, in casting removable partial denture frameworks (Firtell et al), 856
  soldering, verification index to ensure (Trebilcock et al), 657
Acid-etched anterior splints for patients with reduced periodontal support, endodontic considerations in design of (Gholston et al), 29
  class IV, retained composite resin restoration, effect of restoration thickness at cavosurface bevel on (Bagheri and Denehy), 175
  fixed partial denture: Two-year report (Chew), 173
  retainers, thermal and abrasive techniques for removal of resins from (Ullo and Gwinnett), 43
Acrylic resin, carbon fiber, composite: Investigation of transverse strength (Yazdanie and Mahood), 543
  complete denture base, effect of steel strengtheners on fracture resistance of (Ruffino), 75
  crowns, provisional, marginal adaptation of (Monday and Blais), 194
  polymerized by four different techniques, physical properties of (Donovan et al), 522
  stents for marsupialization (Taicher et al), 818
  temporary crown, chairside fabrication of (Utley), 736
  transitional crowns as matrix, amalgam cores with (Weiner), 187
  tray materials, dimensional change of (Goldfogel et al), 284

July, 1-166; August, 167-324; September, 325-460; October, 461-620; November, 621-756; December, 757-902

Activated-light composite resins, curing, through dentin (Chan and Boyer), 643
Acupuncture compared with stomatognathic treatment for TMJ dysfunction. Part I: Randomized study (Raustia et al), 581
Adaptation, marginal, of provisional acrylic resin crowns (Monday and Blais), 194
Adhesive fixed partial denture, decade of progress for (Hamada et al), 24
medical-grade, silicone denture liner, simplified technique for placement of (Duncan et al), 599
Adjustable plane, cephalometrically programmed: New concept in occlusal plane orientation for complete-denture patients (Monteith), 388
Adjustment, occlusal, effect of, on globus symptom (Kirveskari and Puhakka), 832
Aerodynamic assessment of prosthetic speech aids (Reisberg and Smith), 686
Agar hydrocolloid duplicating materials with dental stones, compatibility of (Barrett and Brukl), 586
Aid(s), prosthetic speech, aerodynamic assessment of (Reisberg and Smith), 686
visual, for posterior composite resin restorations (Grego), 763
Alloy(s), base metal casting, quantization of nickel and beryllium leakage from (Covington et al), 127
effects of prewetting on postsoldering of (Bellagamba), 355
cast, for resin bonding, chairside electrolytic etching of (Jackson and Healey), 764
crown and bridge, castability of (Asgar and Arfaei), 60
low-gold content, quantitative study of soldered connector tensile strength using (Janus et al), 517
-porcelain bond strength, effect of metal conditioners on (Bowers et al), 201
combinations, apparent bond strength of nonnoble (Quinones et al), 359
precious and noble-based casting (Reisbick), 785
presoldered base metal, flexure test evaluation of (Anusavice et al), 507
Alveolar bone growth, segmental, drifting, tipping, and supraeruption (Kaplan), 280
ridge augmentation, hydroxyapatite for: Indications and problems (Desjardins), 374
Amalgam and inlay restorations on posterior teeth, quality assessment of: Retrospective study (Molvar et al), 5
resin restorations, evaluation of three clinical methods for assessing (Smales and Creaven), 340
cores with acrylic resin transitional crowns as matrix (Weiner), 187
dental, influence of variations in preparation of, on dimensional stability and porosities (Ekstrand et al), 349
strength and creep of: Effects of deviation from recommended preparation procedure (Holland et al), 189
pin, foundation and pin amalgam restoration (Lambert and Goldfogel), 10
restoration and pin amalgam foundation (Lambert and Goldfogel), 10
restorations, composite-veneered (Gordon et al), 759
cross-splinted pin, coronal reinforcement with (Lambert et al), 346
American Board of Prosthodontics (Lang), 863
Analyzer, centric interocclusal record (Hansen et al), 851
Anesthesia, freedom of choice for restorative dentistry with or without (Taub et al), 15
Angle of impact, mobility, and site, effect of abutment, on retention of fixed partial dentures (Jacobi et al), 178
Angulation of occlusal plane in edentulous patients, cephalometric method to determine (Monteith), 81
porcelain-metal junction, effects of, on porcelain fracture (Woods and Cavazos), 501
Anterior restorative materials, four Class V, microleakage at gingival wall with (Welsh and Hembree), 370
splints, acid-etched, for patients with reduced periodontal support, endodontic considerations in design of (Gholston et al), 29
teeth, severely fractured vital, temporization of (Webb and Murray), 198
Arch-cross fixed partial dentures, chewing ability in patients restored with (Laurell and Lundgren), 720
Articulator(s), does one, meet needs of both fixed and removable prosthodontics? (Smith), 296
nonarcon semiadjustable, analysis of lateral condylar adjustment of (Taylor et al), 140
semiadjustable, technique for transferring information from pantograph tracing to (Gordon and Stoffer), 503
Artificial and natural teeth, in vitro study of wear characteristics of (Coffey et al), 273
Augmentation, alveolar ridge, hydroxyaptite for: Indications and problems (Desjardins), 374
hydroxyapatite, of edentulous ridge, surgical stent fabrication for (Barrett), 215
Auricular compression stent (Chalian et al), 560
Automixing: New concept in elastomeric impression material delivery systems (Keck), 479

B

Bacteria, nonoral opportunistic pathogenic, in dental laboratory pumice, recovery and significance of (Williams et al), 725
Bacteriologic study of basic fuchsin caries-disclosing dye (Anderson et al), 51
Banded-full orthodontic patients, irreversible hydrocolloid impressions for (Drago), 372
Bar, sublingual, and lingual plate: Clinical comparison of two mandibular major connector designs (Hansen and Campbell), 805
Base(s), acrylic resin complete denture, effect of steel strengtheners on fracture resistance of (Ruffino), 75
calcium hydroxide, compressive strength of two (Draheim and Murrey), 365
metal alloys, effects of prewetting on postsoldering of (Bellagamba), 355
presoldered, flexure test evaluation of (Anusavice et al), 507
casting alloys, quantization of nickel and beryllium leakage from (Covington et al), 127
working cast, solid (Buchanan and Shay), 152
Basic fuchsin caries-disclosing dye, bacteriologic study of (Anderson et al), 51
Batch variation, effects of, on shade of dental porcelain (Barghi et al), 625
Behavioral patterns, oral, as factors contributing to development of head and facial pain (Villarosa and Moss), 427
Beryllium and nickel leakage from base metal casting alloys, quantization of (Covington et al), 127
Bevel, cavosurface, effect of restoration thickness at, on class IV acid-etched retained composite resin restoration (Bagheri and Denehy), 175
Bite force discrimination by individuals with complete dentures (Williams et al), 146
Bitefork modification to aid in orienting tentative occlusal plane (Tips) (Callison), 448
Bleaching, structural effects of, on tetracycline-stained, vital rat teeth (Ledoux et al), 55
Blockout of remount casts, method for (Tips) (Jones and Calomeni), 312
Bond, ceramic-to-metal, effects of sputtered metal oxide films on (Bullard et al), 776
strength and microleakage of porcelain repair materials (Bello et al), 788
apparent, of nonnoble alloy-porcelain combinations (Quinones et al), 359
porcelain-alloy, effect of metal conditioners on (Bowers et al), 201
Bonded-phosphate investment, incidence of bubbles on samples cast in (Lacy et al), 367
-resin retainers, experimental comparison between perforated and etched-metal (Brady et al), 361
Bonding agent, marginal leakage of cervical resin restorations with (Fuks et al), 654
resin, chairside electrolytic etching of cast alloys for (Jackson and Healey), 764

Bone growth, segmental alveolar, drifting, tipping and supraeruption (Kaplan), 280
Bony deposition under fixed partial denture (Render), 524
Border and ridge tissues, complete denture secondary impression technique to minimize distortion of (Klein and Broner), 660
Bovine-derived collagen, solubilized, as xenogeneic grafting material, use of (Mishkin et al), 290
Boxing complete denture impressions, simple technique for (Ritchie et al), 854
Bridge and crown alloys, castability of (Asgar and Arfaei), 60
Broken-stress fixed prosthesis and ceramometal restorations (Casey et al), 331
Bubbles on samples cast in phosphate-bonded investment, incidence of (Lacy et al), 367
Bur, end-cutting, preparation of 135-degree shoulder for ceramometal margin using (McAdam), 473

C

Calcium hydroxide bases, compressive strength of two (Draheim and Murrey), 365
Cancer, head and neck, recurrent, role of maxillofacial prosthodontist in detection of (Casey), 678
  oral and perioral, use of intraoral prostheses in external beam radiation of (Epstein et al), 100
Cantilevered fixed partial dentures in geriatric population: Preliminary report (Budtz-Jørgensen et al), 467
  prosthesis replacing maxillary lateral incisor: Design consideration (Goldfogel and Lambert), 477
Carbon fiber acrylic resin composite: Investigation of transverse strength (Yazdanie and Mahood), 543
Carcinoma, superficial, of oral cavity, surgical and prosthetic treatment of (Aramany and Myers), 820
Caries-disclosing dye, basic fuchsin, bacteriologic study of (Anderson et al), 51
Cast(s) alloys for resin bonding, chairside electrolytic etching of (Jackson and Healey), 764
  complete crowns, determining marginal discrepancy of (Smith et al), 778
    denture master, reproducible split-cast procedure for remounting (Barrett), 737
  gold crowns, complete, comparison of methods for clinical evaluation of marginal fit of (Assif et al), 20
  master, preimpression preparation for positive recovery of (Sherman), 19
  remount, method for blockout of (Tips) (Jones and Calomeni), 312
  restorations, marginal distortion of, induced by cementation (Moore et al), 336
  round RPA clasp (Nelson et al), 307
  solid base working (Buchanan and Shay), 152
  stone, made from impression materials, distortion analysis of (Linke et al), 794
    poured from irreversible hydrocolloid impressions, influence of trays on accuracy of (Mendez), 383
  trimming, protection of critical surfaces during (Tips) (Wiskott and Berta), 312
Castability of crown and bridge alloys (Asgar and Arfaei), 60
Casting(s) alloys, base metal, quantization of nickel and beryllium leakage from (Covington et al), 127
    precious and noble-based (Reisbick), 785
  for composite resin cores, effect of temporary cementing agent on retention of (Gabryl et al), 183
  multiunit one-piece, comparison of accuracy of (Schiffleger et al), 770
  removable partial denture frameworks, laboratory accuracy in (Firtell et al), 856
    radiographic detection of porosities in (Elarbi et al), 674
Cavity liner dispensers, reusable, and cross-contamination (Goho), 803
  oral, surgical and prosthetic treatment of superficial carcinoma of (Aramany and Myers), 820
Cavosurface bevel, effect of restoration thickness at, on class IV acid-etched retained composite resin restoration (Bagheri and Denehy), 175
Cements and resins, retention of prefabricated posts by (Chapman et al), 649
Cementation, marginal distortion of cast restorations induced by (Moore et al), 336
  of provisional restorations, technique for (Campagni), 13
Cemented posts, technique for removing (Shemen and Cardash), 200
Cementing agent, effect of temporary, on retention of castings for composite resin cores (Gabryl et al), 183
Centric interocclusal record analyzer (Hansen et al), 851
  relation tooth contacts, technique for evaluation of. Part I: During normal temporomandibular joint function (Capp and Clayton) 569; Part II: Following use of occlusal splint for treatment of temporomandibular joint dysfunction (Capp and Clayton), 679
Cephalometric method to determine angulation of occlusal plane in edentulous patients (Monteith), 81
Cephalometrically programmed adjustable plane: New concept in occlusal plane orientation for complete-denture patients (Monteith), 388
Ceramic margins for metal-ceramic restorations, evaluation of (Cooney et al), 1
  -metal crowns, collarless, comparison of four techniques for fabricating (West et al), 636
    restorations, evaluation of ceramic margins for (Cooney et al), 1
  -to-metal bond, effects of sputtered metal oxide films on (Bullard et al), 776
Ceramometal mandibular repositioning splint, construction of (Laurell), 439
  margin, preparation of 135-degree shoulder for, using end-cutting bur (McAdam), 473
  restorations and broken-stress fixed prosthesis (Casey et al), 331
Cervical resin restorations with bonding agent, marginal leakage of (Fuks et al), 654
Chairside electrolytic etching of cast alloys for resin bonding (Jackson and Healey), 764
  fabrication of acrylic resin temporary crown (Utley), 736
Characteristics, marking, and thickness of occlusal registration strips (Schelb et al), 122
  wear, of natural and artificial teeth, in vitro study of (Coffey et al), 273
Chewing ability in patients restored with cross-arch fixed partial dentures (Laurell and Lundgren), 720
  -thumb guards, custom, technique for constructing (Engelmeier), 153
Choice for restorative dentistry with or without anesthesia, freedom of (Taub et al), 15
Chondrometaplasia, submucosal nodular, in denture wearers (Lello and Makek), 237
Cingulum rest seat, alternative (Ivanhoe), 395
Clasp, cast round RPA (Nelson et al), 307
  wrought wire, flexibility, influence of fabrication technique on (Stade et al), 538
Class IV acid-etched retained composite resin restoration, effect of restoration thickness at cavosurface bevel on (Bagheri and Denehy), 175
  V anterior restorative materials, four, microleakage at gingival wall with (Welsh and Hembree), 370
Cleft, surgical, of soft palate, comparison of rigid and flexible obturation for (Moore et al), 548
Clinical comparison of two mandibular major connector designs: Sublingual bar and lingual plate (Hansen and Campbell), 805
  dentistry, real-time analysis of electromyograms in (Yamada et al), 436
  evaluation of marginal fit of complete cast gold crowns, comparison of (Assif et al), 20
  methods, evaluation of three, for assessing amalgam and resin restorations (Smales and Creaven), 340

Clinical—cont'd
removable prosthodontics, evaluation system for teaching (Seals et al), 592
wear study of new tooth material: Part II (Ogle and Ortman), 67
Collagen, solubilized bovine derived, use of, as xenogeneic grafting material (Mishkin et al), 290
Collarless metal-ceramic crowns, comparison of four techniques for fabricating (West et al), 636
Columella and septum, temporary intranasal prosthesis for surgical defect of (Bozzetti et al), 824
Combination syndrome: Treatment approach (Schmitt), 664
Complete cast gold crowns, comparison of methods for clinical evaluation of marginal fit of (Assif et al), 20
crowns, cast, determining marginal discrepancy of (Smith et al), 778
denture(s), alternate simplified technique for rebasing (Kotwal and Houston), 598
base, acrylic resin, effect of steel strengtheners on fracture resistance of (Ruffino), 75
bite force discrimination by individuals with (Williams et al), 146
device for establishing occlusal plane for (Tips) (Chrystie), 447
fractures, diagnosing functional (Schneider), 809
impressions, simple technique for boxing (Ritchie et al), 854
increased tolerance to, after surgical modification of mylohyoid ridges (Penhall et al), 230
master cast, reproducible split-cast procedure for remounting (Barrett), 737
patients, new concept in occlusal plane orientation for: Cephalometrically programmed adjustable plane (Monteith), 388
procedures taught in American and Canadian dental schools, results of survey of: Update (Levin and Sanders), 302
secondary impression technique to minimize distortion of ridge and border tissues (Klein and Broner), 660
maxillary denture, using holography for measurements of in vivo deformation in (Dirtoft et al), 843
Composite, carbon fiber acrylic resin: Investigation of transverse strength (Yazdanie and Mahood), 543
resin(s) cores, effect of temporary cementing agent on retention of castings for (Gabryl et al), 183
curing light-activated, through dentin (Chan and Boyer), 643
photoactivated, postirradiation comparison of (Leung et al), 645
porosity with hand and syringe insertion (Medlock et al), 47
restoration(s), class IV acid-etched retained, effect of thickness at cavosurface bevel on (Bagheri and Denehy), 175
posterior, visual aid for (Grego), 763
-veneered amalgam restorations (Gordon et al), 759
Compression stent, auricular (Chalian et al), 560
Compressive strength measurement and microstructure studies of hydroxyapatite cones (Kangvonkit et al), 691
of two calcium hydroxide bases (Draheim and Murrey), 365
Conditioners, metal, effect of, on porcelain-alloy bond strength (Bowers et al), 201
tissue, vacuum treatment of (Nimmo et al), 814
Condylar adjustment, lateral, of nonarcon semiadjustable articulators, analysis of (Taylor et al), 140
movement, working, and its effects on posterior occlusal morphology (Schulte et al), 118
Condyle defects, artificially created mandibular, comparative radiography of (Bashiri and Yale), 263
Cones, hydroxyapatite, compressive strength measurement and microstructure studies of (Kangvonkit et al), 691
Connector designs, two mandibular major, clinical comparison of: Sublingual bar and lingual plate (Hansen and Campbell), 805
mandibular split major, photoelastic study of stress distribution by (Reitz and Caputo), 220
soldered, tensile strength using low-gold content alloys, quantitative study of (Janus et al), 517
Contacts, centric relation tooth, technique for evaluation of. Part I: During normal temporomandibular joint function (Capp and Clayton), 569; Part II: Following use of occlusal splint for treatment of temporomandibular joint dysfunction (Capp and Clayton), 697
Contamination-cross and reusable cavity liner dispensers (Goho), 803
Contraction level, jaw muscle, and jaw pain, relationships between: Underlying factors and treatment effectiveness (Sherman), 114
Control, denture plaque, and inflammation in edentulous patient (Chamberlain et al), 78
Core(s), amalgam, with acrylic resin transitional crowns as matrix (Weiner), 187
and post fabrication, indirect, using die-investment stone (Kanoy and Brantley), 757
composite resin, effect of temporary cementing agent on retention of castings for (Gabryl et al), 183
Coronal reinforcement with cross-splinted pin amalgam restorations (Lambert et al), 346
Coverage-full restoration, making, on abutment to fit existing removable partial denture (Getz), 335
"Craniomandibular Function and Dysfunction," change of section title from "Temporomandibular Joint and Occlusion" to (Zarb), 568
Creep and strength of dental amalgam: Effects of deviation from recommended preparation procedure (Holland et al), 189
Cross-arch fixed partial dentures, chewing ability in patients restored with (Laurell and Lundgren), 720
-contamination and reusable cavity liner dispensers (Goho), 803
-splinted pin amalgam restorations, coronal reinforcement with (Lambert et al), 346
Crown(s), acrylic resin temporary, chairside fabrication of (Utley), 736
transitional, as matrix, amalgam cores with (Weiner), 187
and bridge alloys, castability of (Asgar and Arfaei), 60
cast complete, determining marginal discrepancy of (Smith et al), 778
collarless metal-ceramic, comparison of four techniques for fabricating (West et al), 636
complete cast gold, comparison of methods for clinical evaluation of marginal fit of (Assif et al), 20
perforations, repairing (Aquilino et al), 310
provisional acrylic resin, marginal adaptation of (Monday and Blais), 194
Curing light-activated composite resins through dentin (Chan and Boyer), 643
Custom and stock trays, impression material thickness in (Bomberg et al), 170

D

Defect(s), artificially created mandibular condyle, comparative radiography of (Bashiri and Yale), 263
midfacial, prosthodontic rehabilitation of (Marunick et al), 553
soft palate, oral endoscopy in prosthodontic management of (Beery et al), 241
surgical, of septum and columella, temporary intranasal prosthesis for (Bozzetti et al), 824
Deformation in complete maxillary denture, using holography for measurements of in vivo (Dirtoft et al), 843
Dental amalgam, influence of variations in preparation of, on dimensional stability and porosities (Ekstrand et al), 349
strength and creep of: Effects of deviation from recommended preparation procedure (Holland et al), 189
gypsum products, effect of microwave oven drying on surface hardness of (Luebke and Chan), 431
implants, rodent model for investigation of (Kavanagh et al), 252
laboratory pumice, recovery and significance of nonoral opportunistic pathogenic bacteria in (Williams et al), 725
materials aspects. Titanium: Mystery metal of implant dentistry (Parr et al), 410
needs and dental service use patterns of elderly edentulous population (Thomas-Weintraub), 520
porcelain, effects of batch variation on shade of (Barghi et al), 625
restorative resins, ultraviolet light-induced yellowing of (Ferracane et al), 483

Dental—cont'd
schools, American and Canadian, results of survey of complete denture procedures taught in: Update (Levin and Sanders), 302
service use patterns and dental needs of elderly edentulous population (Thomas-Weintraub), 520
stones, compatibility of agar hydrocolloid duplicating materials with (Barrett and Brukl), 586
Dentin, curing light-activated composite resins through (Chan and Boyer), 643
Dentistry, clinical, real-time analysis of electromyograms in (Yamada et al), 436
implant, mystery metal of: Titanium. Dental materials aspects (Parr et al), 410
restorative, with or without anesthesia, freedom of choice for (Taub et al), 15
Denture(s), acid-etched fixed partial: Two-year report (Chew), 173
adhesive fixed partial, decade of progress for (Hamada et al), 24
base, acrylic resin complete, effect of steel strengtheners on fracture resistance of (Ruffino), 75
cantilevered fixed partial, in geriatric population: Preliminary report (Budtz-Jørgensen et al), 467
complete, alternate simplified technique for rebasing (Kotwal and Houston), 598
bite force discrimination by individuals with (Williams et al), 146
device for establishing occlusal plane for (Tips) (Chrystie), 447
impressions, simple technique for boxing (Ritchie et al), 854
increased tolerance to, after surgical modification of mylohyoid ridges (Penhall et al), 230
master cast, reproducible split-cast procedure for remounting (Barrett), 737
maxillary, using holography for measurements of in vivo deformation in (Dirtoft et al), 843
patients, new concept in occlusal plane orientation for: Cephalometrically programmed adjustable plane (Monteith), 388
secondary impression technique to minimize distortion of ridge and border tissues (Klein and Broner), 660
construction, interim tooth-supported removable partial, simplicity in (Chen et al), 740
cross-arch fixed partial, chewing ability in patients restored with (Laurell and Lundgren), 720
displacement, maxillary, during reline impression procedure, three-dimensional analysis of (Javid et al), 232
existing, diagnostically restoring reduced occlusal vertical dimension without permanently altering (Hansen), 671
removable partial, making full-coverage restoration on abutment to fit (Getz), 335
fixed and removable partial, abutment teeth, six-year report of periodontal health of (Rissin et al), 461
partial, abutment for, part III: Tilted posterior tooth (Revah et al), 325
bony deposition under (Render), 524
effect of abutment mobility, site, and angle of impact on retention of (Jacobi et al), 178
fractures, diagnosing functional complete (Schneider), 809
insertion, immediate, surgical templates for (Young et al), 64
interim partial, two-pour technique for investing (Green and Nimmo), 151
liner, medical-grade adhesive silicone, simplified technique for placement of (Duncan et al), 599
osseointegrated, impression making for (Tautin), 250
plaque control and inflammation in edentulous patient (Chamberlain et al), 78
procedures, complete, taught in American and Canadian dental schools, results of survey of: Update (Levin and Sanders), 302
removable partial, castings, radiographic detection of porosities in (Elarbi et al), 674
designs for radical maxillectomy, occlusal force transfer by (Schwartzman et al), 397
frameworks, laboratory accuracy in casting (Firtell et al), 856
Denture, removable partial—cont'd
impression distortion from abutment tooth inclination in (Jasim et al), 532
wearers, submucosal nodular chondrometaplasia in (Lello and Makek), 237
Deposition, bony, under fixed partial denture (Render), 524
Derangement, internal, of temporomandibular joint before and after splint therapy, masseter muscle silent period in patients with (Hanson et al), 846
Design(s) of acid-etched anterior splints for patients with reduced periodontal support, endodontic considerations in (Gholston et al), 29
removable partial denture, for radical maxillectomy, occlusal force transfer by (Schwartzman et al), 397
Detection of recurrent head and neck cancer, role of maxillofacial prosthodontist in (Casey), 678
Diagnosing functional complete denture fractures (Schneider), 809
temporomandibular joint dysfunction, pantographic reproducibility index for use in: Report on research (Clayton), 827
Diagnostically restoring reduced occlusal vertical dimension without permanently altering existing dentures (Hansen), 671
Die, dislodged, method to reassemble (Tips) (Al-Amer), 313
-investment stone, indirect post and core fabrication using (Kanoy and Brantley), 757
material, evaluation of new epoxy (Campbell et al), 136
Dimension, reduced occlusal vertical, diagnostically restoring, without permanently altering existing dentures (Hansen), 671
Dimensional change of acrylic resin tray materials (Goldfogel et al), 284
stability and porosities, influence of variations in preparation of dental amalgam on (Ekstrand et al), 349
Direct lift-off porcelain shoulder restorations, separating agent for (Tips) (Chambless and Lorenzana), 606
Disclosing-caries dye, basic fuchsin, bacteriologic study of (Anderson et al), 51
Discrepancy of cast complete crowns, determining marginal (Smith et al), 778
Dislodged die, method to reassemble (Tips) (Al-Amer), 313
Discrimination, bite force, by individuals with complete dentures (Williams et al), 146
Disorders, acute temporomandibular joint, management of patients with (Reade et al), 110
Dispensers, reusable cavity liner, and cross-contamination (Goho), 803
Displacement, maxillary denture, during reline impression procedure, three-dimensional analysis of (Javid et al), 232
Distortion analysis of stone casts made from impression materials (Linke et al), 794
impression, from abutment tooth inclination in removable partial dentures (Jasim et al), 532
marginal, of cast restorations induced by cementation (Moore et al), 336
of ridge and border tissues, complete denture secondary impression technique to minimize (Klein and Broner), 660
Dowel(s) pin placement, rapid and economic (Tips) (Welsch), 604
removing, in difficult teeth (Bando et al), 34
Drifting, tipping, supraeruption, and segmental alveolar bone growth (Kaplan), 280
Drying, microwave oven, effect of, on surface hardness of dental gypsum products (Luebke and Chan), 431
Durations, silent period, measurement of, by hand and commercial device (Plesh and McCall), 715
Dye, basic fuchsin caries-disclosing, bacteriologic study of (Anderson et al), 51
Dysfunction-pain, myofascial: Subjective signs and symptoms (Hijzen and Slangen), 705
temporomandibular joint, and occlusal relationships. Part I: Epidemiologic findings (de Laat and van Steenberghe), 835
following use of occlusal splint for treatment of, Part II: Technique for evaluation of centric relation tooth contacts (Capp and Clayton), 697
pantographic reproducitility index for use in diagnosing: Report on research (Clayton), 827

Dysfunction-pain—cont'd
significant precipitating factor in: Extrinsic trauma (Harkins and Marteney), 271
TMJ, acupuncture compared with stomatognathic treatment for. Part I: Randomized study (Raustia et al), 581

E

Ear keloid, postexcisional recurrent, methyl methacrylate stent for prevention of (Hurtado and Crowther), 245
Edentulous, elderly, population, dental needs and dental service use patterns of (Thomas-Weintraub), 520
patient(s), cephalometric method to determine angulation of occlusal plane in (Monteith), 81
denture plaque control and inflammation in (Chamberlain et al), 78
ridge, surgical stent fabrication for hydroxyapatite augmentation of (Barrett), 215
Elastics, pantograph styli, device to facilitate replacement of (Tips) (Thornton et al), 603
Elastomeric impression material(s) delivery systems, new concept in: Automixing (Keck), 479
visocoelastic properties of setting (de Araujo et al), 633
Elderly edentulous population, dental needs and dental service use patterns of (Thomas-Weintraub), 520
Electrolytic etching, chairside, of cast alloys for resin bonding (Jackson and Healey), 764
Electromyograms, real-time analysis of, in clinical dentistry (Yamada et al), 436
Electromyographic relaxed mandibular position in long-faced subjects (Van Sickels et al), 578
End-cutting bur, preparation of 135-degree shoulder for ceramometal margin using (McAdam), 473
Endodontic considerations in design of acid-etched anterior splints for patients with reduced periodontal support (Gholston et al), 29
Endoscopy, oral, in prosthodontic management of soft palate defect (Beery et al), 241
Endosseous titanium oral implants, soft tissue response to (Toth et al), 564
Epidemiologic findings, Part I: Occlusal relationships and temporomandibular joint dysfunction (de Laat and van Steenberghe), 835
Epoxy die material, evaluation of new (Campbell et al), 136
Esthetic control system for fixed and removable prosthodontics (Behrend), 488
matching (Swepston and Miller), 623
provisional restorations, custom shade tabs for (Haywood et al), 621
veneering materials, leakage study of three (Staffanou et al), 204
Etched-acid anterior splints for patients with reduced periodontal support, endodontic considerations in design of (Gholston et al), 29
fixed partial denture: Two-year report (Chew), 173
retained composite resin restoration, class IV, effect of restoration thickness at cavosurface bevel on (Bagheri and Denehy), 175
retainers, thermal and abrasive techniques for removal of resins from (Ullo and Gwinnett), 43
-metal and perforated resin-bonded retainers, experimental comparison between (Brady et al), 361
Etching, chairside electrolytic, of cast alloys for resin bonding (Jackson and Healey), 764
Extrinsic trauma: Significant precipitating factor in temporomandibular dysfunction (Harkins and Marteney), 271
Eye-stock ocular prosthesis, modified (Taicher et al), 95

F

Facial and head pain, oral behavioral patterns as factors contributing to development of (Villarosa and Moss), 427
Films, effects of sputtered metal oxide, on ceramic-to-metal bond (Bullard et al), 776
Firing, effect of repeated, on fluorescence of porcelain-fused-to-metal porcelains (Ecker et al), 207
Fit, marginal, of complete cast gold crowns, comparison of methods for clinical evaluation of (Assif et al), 20
Fixed and removable partial denture abutment teeth, six-year report of periodontal health of (Rissin et al), 461
prosthodontics, does one articulator meet needs of both? (Smith), 296
esthetic control system for (Behrend), 488
cantilever, prosthesis replacing maxillary lateral incisor: Design consideration (Goldfogel and Lambert), 477
cantilevered, partial dentures in geriatric population: Preliminary report (Budtz-Jørgensen et al), 467
partial denture(s), abutment for, part III: Tilted posterior tooth (Revah et al), 325
acid-etched: Two-year report (Chew), 173
adhesive, decade of progress for (Hamada et al), 24
bony deposition under (Render), 524
cross-arch, chewing ability in patients restored with (Laurell and Lundgren), 720
effect of abutment mobility, site, and angle of impact on retention of (Jacobi et al), 178
prosthesis, broken-stress, and ceramometal restorations (Casey et al), 331
prosthodontics, application of microdentistry in (Chou and Pameijer), 36
restoration, provisional, aid in making (Tips) (Tarlow), 605
Flexible and rigid obturation for surgical cleft of soft palate, comparison of (Moore et al), 548
Flexibility, wrought wire clasp, influence of fabrication technique on (Stade et al), 538
Flexure test evaluation of presoldered base metal alloys (Anusavice et al), 507
Fluorescence of porcelain-fused-to-metal porcelains, effect of repeated firing on (Ecker et al), 207
Force transfer, occlusal, by removable partial denture designs for radical maxillectomy (Schwartzman et al), 397
Foundation, pin amalgam, and pin amalgam restoration (Lambert and Goldfogel), 10
Fracture(s), diagnosing functional complete denture (Schneider), 809
porcelain, effects of porcelain-metal junction angulation on (Woods and Cavazos), 501
resistance of acrylic resin complete denture base, effect of steel strengtheners on (Ruffino), 75
Fractured, severely, vital anterior teeth, temporization of (Webb and Murray), 198
Frameworks, removable partial denture, laboratory accuracy in casting (Firtell et al), 856
Fuchsin, basic, caries-disclosing dye, bacteriologic study of (Anderson et al), 51
Full-banded orthodontic patients, irreversible hydrocolloid impressions for (Drago), 372
-coverage restoration, making, on abutment to fit existing removable partial denture (Getz), 335
Functional complete denture fractures, diagnosing (Schneider), 809

G

Gauge, leaf, with consecutively numbered leaves (Rosenblum and Huffman), 652
Geriatric population, cantilevered fixed partial dentures in: Preliminary report (Budtz-Jørgensen et al), 467
Gingival wall, microleakage at, with four Class V anterior restorative materials (Welsh and Hembree), 370
Glands, major salivary, mantle irradiation of (Kaplan), 681
Globus symptom, effect of occlusal adjustment on (Kirveskari and Puhakka), 832
Gnathologic instrumentation, mandibular lateral side-shift and need for (Hart and Sakumura), 415
Gold crowns, complete cast, comparison of methods for clinical evaluation of marginal fit of (Assif et al), 20
-low content alloys, quantitative study of soldered connector tensile strength using (Janus et al), 517
Grafting material, xenogeneic, use of solubilized bovine-derived collagen as (Mishkin et al), 290
Guards, custom thumb-chewing, technique for constructing (Engelmeier), 153

Gypsum products, dental, effect of microwave oven drying on surface hardness of (Luebke and Chan), 431

H

Hand and syringe insertion, composite resin porosity with (Medlock et al), 47
Hardness, surface, of dental gypsum products, effect of microwave oven drying on (Luebke and Chan), 431
Head and facial pain, oral behavioral patterns as factors contributing to development of (Villarosa and Moss), 427
neck cancer, recurrent, role of maxillofacial prosthodontist in detection of (Casey), 678
Health, periodontal, of fixed and removable partial denture abutment teeth, six-year report of (Rissin et al), 461
Hollow obturator with removable lid (Phankosol and Martin), 98
Holography, using, for measurements of in vivo deformation in complete maxillary denture (Dirtoft et al), 843
Hydrocolloid(s), agar, duplicating materials with dental stones, compatibility of (Barrett and Brukl), 586
impression(s), irreversible, for full-banded orthodontic patients (Drago), 372
influence of trays on accuracy of stone casts poured from (Mendez), 383
systems, combined reversible/irreversible: Comparative analysis (Appleby et al), 627
irreversible, irritation of ocular tissue by (Moergeli et al), 286
powder, reproducibility of dispensing one brand, by seven methods (Moor), 144
reversible, impression material, simplified techniques for preparation and use of (Campagni et al), 167
Hydroxyapatite augmentation of edentulous ridge, surgical stent fabrication for (Barrett), 215
cones, compressive strength measurement and microstructure studies of (Kangvonkit et al), 691
for alveolar ridge augmentation: Indications and problems (Desjardins), 374

I

Immediate denture insertion, surgical templates for (Young et al), 64
Implant(s), dental, rodent model for investigation of (Kavanagh et al), 252
dentistry, mystery metal of: Titanium. Dental materials aspects (Parr et al), 410
endosseous titanium oral, soft tissue response to (Toth et al), 564
Impression(s), complete denture, simple technique for boxing (Ritchie et al), 854
distortion from abutment tooth inclination in removable partial dentures (Jasim et al), 532
irreversible hydrocolloid, for full-banded orthodontic patients (Drago), 372
influence of trays on accuracy of stone casts poured from (Mendez), 383
making for osseointegrated dentures (Tautin), 250
material(s), distortion analysis of stone casts made from (Linke et al), 794
effect of material bulk and undercuts on accuracy of (de Araujo and Jorgensen), 791
elastomeric, delivery systems, new concept in: Automixing (Keck), 479
reversible hydrocolloid, simplified techniques for preparation and use of (Campagni et al), 167
setting elastomeric, viscoelastic properties of (de Araujo et al), 633
thickness in stock and custom trays (Bomberg et al), 170
procedure, reline, three-dimensional analysis of maxillary denture displacement during (Javid et al), 232
systems, combined reversible/irreversible hydrocolloid: Comparative analysis (Appleby et al), 627
technique, complete denture secondary, to minimize distortion of ridge and border tissues (Klein and Broner), 660
Incisor, maxillary lateral, cantilever fixed prosthesis replacing: Design consideration (Goldfogel and Lambert), 477
Inclination, abutment tooth, in removable partial dentures, impression distortion from (Jasim et al), 532
Index, pantographic reproducibility, for use in diagnosing temporomandibular joint dysfunction: Report on research (Clayton), 827
verification, to ensure soldering accuracy (Trebilcock et al), 657
Indirect post and core fabrication using die-investment stone (Kanoy and Brantley), 757
Inflammation and denture plaque control in edentulous patient (Chamberlain et al), 78
Inlay and amalgam restorations on posterior teeth, quality assessment of: Retrospective study (Molvar et al), 5
Insertion, depth of, and retention of two self-threading pins (Van Nieuwenhuysen and Vreven), 496
hand and syringe, composite resin porosity with (Medlock et al), 47
immediate denture, surgical templates for (Young et al), 64
Interim partial dentures, two-pour technique for investing (Green and Nimmo), 151
prostheses, modification of surgical obturators to (Jacob et al), 93
tooth-supported removable partial denture construction, simplicity in (Chen et al), 740
Internal derangement of temporomandibular joint before and after splint therapy, masseter muscle silent period in patients with (Hanson et al), 846
Interocclusal, centric, record analyzer (Hansen et al), 851
laminated wax, wafers, accuracy of (Millstein), 574
Intranasal prosthesis, temporary, for surgical defect of septum and columella (Bozzetti et al), 824
stents, "slush" technique in construction of (McKinstry and Zini), 107
Intraoral prostheses in external beam radiation of oral and perioral cancer, use of (Epstein et al), 100
Investing interim partial dentures, two-pour technique for (Green and Nimmo), 151
Investment, phosphate-bonded, incidence of bubbles on samples cast in (Lacy et al), 367
stone-die, indirect post and core fabrication using (Kanoy and Brantley), 757
Irradiation, mantle, of major salivary glands (Kaplan), 681
Irreversible hydrocolloid(s) impressions for full-banded orthodontic patients (Drago), 372
influence of trays on accuracy of stone casts poured from (Mendez), 383
irritation of ocular tissue by (Moergeli et al), 286
powder, reproducibility of dispensing one brand, by seven methods (Moor), 144
/reversible hydrocolloid impression systems, combined: Comparative analysis (Appleby et al), 627
Irritation of ocular tissue by irreversible hydrocolloids (Moergeli et al), 286

J

Jaw muscle contraction level and jaw pain, relationships between: Underlying factors and treatment effectiveness (Sherman), 114
pain and jaw muscle contraction level, relationships between: Underlying factors and treatment effectiveness (Sherman), 114
Joint clinic, temporomandibular, factors influencing outcome of treatment in patients referred to (Wedel and Carlsson), 420
disorders, acute temporomandibular, management of patients with (Reade et al), 110
temporomandibular, before and after splint therapy, masseter muscle silent period in patients with internal derangement of (Hanson et al), 846
during normal function, Part I: Technique for evaluation of centric relation tooth contacts (Capp and Clayton), 569
dysfunction and occlusal relationships. Part I: Epidemiologic findings (de Laat and van Steenberghe), 835
following use of occlusal splint for treatment of, Part II: Technique for evaluation of centric relation tooth contacts (Capp and Clayton), 697
pantographic reproducibility index for use in diagnosing: Report on research (Clayton), 827

K

Keloid, postexcisional recurrent ear, methyl methacrylate stent for prevention of (Hurtado and Crowther), 245

L

Laboratory accuracy in casting removable partial denture frameworks (Firtell et al), 856
dental, pumice, recovery and significance of nonoral opportunistic pathogenic bacteria in (Williams et al), 725
Laminated wax interocclusal wafers, accuracy of (Millstein), 574
Lateral condylar adjustment of nonarcon semiadjustable articulators, analysis of (Taylor et al), 140
maxillary, incisor, cantilever fixed prosthesis replacing: Design consideration (Goldfogel and Lambert), 477
side-shift, mandibular, and need for gnathologic instrumentation (Hart and Sakumura), 415
Leaf(leaves) gauge with consecutively numbered leaves (Rosenblum and Huffman), 652
consecutively numbered, leaf gauge with (Rosenblum and Huffman), 652
Leakage, marginal, of cervical resin restorations with bonding agent (Fuks et al), 654
nickel and beryllium, from base metal casting alloys, quantization of (Covington et al), 127
study of three esthetic veneering materials (Staffanou et al), 204
Lid, removable, hollow obturator with (Phankosol and Martin), 98
Lift-off, direct, porcelain shoulder restorations, separating agent for (Tips) (Chambless and Lorenzana), 606
Light-activated composite resins, curing, through dentin (Chan and Boyer), 643
ultraviolet,-induced yellowing of dental restorative resins (Ferracane et al), 483
Liner dispensers, reusable cavity, and cross-contamination (Goho), 803
medical-grade adhesive silicone denture, simplified technique for placement of (Duncan et al), 599
Lingual plate and sublingual bar: Clinical comparison of two mandibular major connector designs (Hansen and Campbell), 805
Low-gold content alloys, quantitative study of soldered connector tensile strength using (Janus et al), 517

M

Major connector, mandibular split, photoelastic study of stress distribution by (Reitz and Caputo), 220
Mandibular condyle defects, artificially created, comparative radiography of (Bashiri and Yale), 263
lateral side-shift and need for gnathologic instrumentation (Hart and Sakumura), 415
major connector designs, clinical comparison of two: Sublingual bar and lingual plate (Hansen and Campbell), 805
position, electromyographic relaxed, in long-faced subjects (Van Sickels et al), 578
repositioning splint, ceramometal, construction of (Laurell), 439
split major connector, photoelastic study of stress distribution by (Reitz and Caputo), 220
Mantle irradiation of major salivary glands (Kaplan), 681
Margin(s), ceramic, for metal-ceramic restorations, evaluation of (Cooney et al), 1
ceramometal, preparation of 135-degree shoulder for, using end-cutting bur (McAdam), 473
Marginal adaptation of provisional acrylic resin crowns (Monday and Blais), 194
discrepancy of cast complete crowns, determining (Smith et al), 778
distortion of cast restorations induced by cementation (Moore et al), 336
fit of complete cast gold crowns, comparison of methods for clinical evaluation of (Assif et al), 20
leakage of cervical resin restorations with bonding agent (Fuks et al), 654
Marsupialization, acrylic resin stents for (Taicher et al), 818
Masseter muscle silent period in patients with internal derangement of temporomandibular joint before and after splint therapy (Hanson et al), 846
Master cast(s), complete denture, reproducible split-cast procedure for remounting (Barrett), 737
preimpression preparation for positive recovery of (Sherman), 19
Matching, esthetic (Swepston and Miller), 623
Material(s), acrylic resin tray, dimensional change of (Goldfogel et al), 284
leakage study of three esthetic (Staffanou et al), 204
new epoxy die, evaluation of (Campbell et al), 136
new tooth, clinical wear study of: Part II (Ogle et al), 67
reversible hydrocolloid impression, simplified techniques for preparation and use of (Campagni et al), 167
thickness, impression, in stock and custom trays (Bomberg et al), 170
xenogeneic grafting, use of solubilized bovine-derived collagen as (Mishkin et al), 290
Matrix, amalgam cores with acrylic resin transitional crowns as (Weiner), 187
Maxillary denture, complete, using holography for measurements of in vivo deformation in (Dirtoft et al), 843
displacement during reline impression procedure, three-dimensional analysis of (Javid et al), 232
lateral incisor, cantilever fixed prosthesis replacing: Design consideration (Goldfogel and Lambert), 477
Maxillectomy, radical, occlusal force transfer by removable partial denture designs for (Schwartman et al), 397
Maxillofacial prosthetics, polydimethyl siloxane materials in: Evaluation and comparison of physical properties (Bell et al), 404
prosthodontist, role of, in detection of recurrent head and neck cancer (Casey), 678
Measurement(s), compressive strength, and microstructure studies of hydroxyapatite cones (Kangvonkit et al), 691
of in vivo deformation in complete maxillary denture, using holography for (Dirtoft et al), 843
Medical-grade adhesive silicone denture liner, simplified technique for placement of (Duncan et al), 599
Metal alloys, base, effects of prewetting on postsoldering of (Bellagamba), 355
presoldered base, flexure test evaluation of (Anusavice et al), 507
base, casting alloys, quantization of nickel and beryllium leakage from (Covington et al), 127
-ceramic crowns, collarless, comparison of four techniques for fabricating (West et al), 636
restorations, evaluation of ceramic margins for (Cooney et al), 1
conditioners, effect of, on porcelain-alloy bond strength (Bowers et al), 201
-fused-to-porcelain porcelains, effect of repeated firing on fluorescence of (Ecker et al), 207
minibases in removable prosthodontics (Hansen), 442
mystery, of implant dentistry: Titanium. Dental materials aspects (Parr et al), 410
oxide films, sputtered, effects of, on ceramic-to-metal bond (Bullard et al), 776
-porcelain junction angulation, effects of, on porcelain fracture (Woods and Cavazos), 501
-to-ceramic bond, effects of sputtered metal oxide films on (Bullard et al), 776
Methyl methacrylate stent for prevention of postexcisional recurrent ear keloid (Hurtado and Crowther), 245
Microdentistry in fixed prosthodontics, application of (Chou and Pameijer), 36
Microleakage and bond strength of porcelain repair materials (Bello et al), 788
at gingival wall with four Class V anterior restorative materials (Welsh and Hembree), 370
Microstructure and compressive strength measurement studies of hydroxyapatite cones (Kangvonkit et al), 691
Microwave oven drying, effect of, on surface hardness of dental gypsum products (Luebke and Chan), 431
Midfacial defects, prosthodontic rehabilitation of (Marunick et al), 553

Minibases, metal, in removable prosthodontics (Hansen), 442
Mobility, site, and angle of impact, effect of abutment, on retention of fixed partial dentures (Jacobi et al), 178
Modified stock-eye ocular prosthesis (Taicher et al), 95
Morphology, posterior occlusal, working condylar movement and its effects on (Schulte et al), 118
Multiunit one-piece castings, comparison of accuracy of (Schiffleger et al), 770
Muscle, jaw, contraction level and jaw pain, relationships between: Underlying factors and treatment effectiveness (Sherman), 114
masseter, silent period in patients with internal derangement of temporomandibular joint before and after splint therapy (Hanson et al), 846
Mylohyoid ridges, increased tolerance to complete dentures after surgical modification of (Penhall et al), 230
Myofascial pain-dysfunction: Subjective signs and symptoms (Hijzen and Slangen), 705

N

Natural and artificial teeth, in vitro study of wear characteristics of (Coffey et al), 273
Neck and head cancer, recurrent, role of maxillofacial prosthodontist in detection of (Casey), 678
Nickel and beryllium leakage from base metal casting alloys, quantization of (Covington et al), 127
Noble-based and precious casting alloys (Reisbick), 785
Nodular chondrometaplasia, submucosal, in denture wearers (Lello and Makek), 237
Nonarcon semiadjustable articulators, analysis of lateral condylar adjustment of (Taylor et al), 140
Nonnoble alloy-porcelain combinations, apparent bond strength of (Quinones et al), 359
Nonoral opportunistic pathogenic bacteria in dental laboratory pumice, recovery and significance of (Williams et al), 725
Numbered, consecutively, leaves, leaf gauge with (Rosenblum and Huffman), 652

O

Obturation, assessing effective (Watson and Gray), 88
rigid and flexible, comparison of, for surgical cleft of soft palate (Moore et al), 548
Obturator(s), hollow, with removable lid (Phankosol and Martin), 98
modification of surgical, to interim prostheses (Jacob et al), 93
Occlusal adjustment, effect of, on globus symptom (Kirveskari and Puhakka), 832
changes following use of soft occlusal splints (Singh and Berry), 711
force transfer by removable partial denture designs for radical maxillectomy (Schwartzman et al), 397
morphology, posterior, working condylar movement and its effects on (Schulte et al), 118
plane, cephalometric method to determine angulation of, in edentulous patients (Monteith), 81
for complete dentures, device for establishing (Tips) (Chrystie), 447
orientation for complete-denture patients, new concept in: Cephalometrically programmed adjustable plane (Monteith), 388
tentative, bitefork modification to aid in orienting (Tips) (Callison), 448
registration strips, thickness and marking characteristics of (Schelb et al), 122
relationships and temporomandibular joint dysfunction. Part I: Epidemiologic findings (de Laat and van Steenberghe), 835
splint(s) for treatment of temporomandibular joint dysfunction, following use of, Part II: Technique for evaluation of centric relation tooth contacts (Capp and Clayton), 697
soft, occlusal changes following use of (Singh and Berry), 711
vertical dimension, reduced, diagnostically restoring, without permanently altering existing dentures (Hansen), 671
Occlusion rims, wax, alteration of (Tips) (Leary et al), 604
Ocular prosthesis, modified stock-eye (Taicher et al), 95
tissue, irritation of, by irreversible hydrocolloids (Moergeli et al), 286
One hundred thirty-five-degree shoulder, preparation of, for ceramometal margin using end-cutting bur (McAdam), 473
-piece, multiunit, castings, comparison of accuracy of (Schiffleger et al), 770
Opportunistic pathogenic bacteria, nonoral, in dental laboratory pumice, recovery and significance of (Williams et al), 725
Oral and perioral cancer, use of intraoral prostheses in external beam radiation of (Epstein et al), 100
behavioral patterns as factors contributing to development of head and facial pain (Villarosa and Moss), 427
cavity, surgical and prosthetic treatment of superficial carcinoma of (Aramany and Myers), 820
endoscopy in prosthodontic management of soft palate defect (Beery et al), 241
endosseous titanium, implants, soft tissue response to (Toth et al), 564
Orientation, occlusal plane, for complete-denture patients, new concept in: Cephalometrically programmed adjustable plane (Monteith), 388
Orienting tentative occlusal plane, bitefork modification to aid in (Tips) (Callison), 448
Orthodontic patients, full-banded, irreversible hydrocolloid impressions for (Drago), 372
Osseointegrated dentures, impression making for (Tautin), 250
Overdenture abutment teeth, three-in-one periodontal aid for (Tips) (Walters), 156
Oxide films, effects of sputtered metal, on ceramic-to-metal bond (Bullard et al), 776

P

Pain-dysfunction, myofascial: Subjective signs and symptoms (Hijzen and Slangen), 705
head and facial, oral behavioral patterns as factors contributing to development of (Villarosa and Moss), 427
jaw, and jaw muscle contraction level, relationships between: Underlying factors and treatment effectiveness (Sherman), 114
Palate, soft, comparison of rigid and flexible obturation for (Moore et al), 548
soft, defect, oral endoscopy in prosthodontic management of (Beery et al), 241
Pantograph styli elastics, device to facilitate replacement of (Tips) (Thornton et al), 603
tracing, technique for transferring information from, to semiadjustable articulators (Gordon and Stoffer), 503
Pantographic reproducibility index for use in diagnosing temporomandibular joint dysfunction: Report on research (Clayton), 827
Partial denture(s), acid-etched fixed: Two-year report (Chew), 173
adhesive fixed, decade of progress for (Hamada et al), 24
cantilevered fixed, in geriatric population: Preliminary report (Budtz-Jørgensen et al), 467
cross-arch fixed, chewing ability in patients restored with (Laurell and Lundgren), 720
existing removable, making full-coverage restoration on abutment to fit (Getz), 335
fixed, abutment for, part III: Tilted posterior tooth (Revah et al), 325
effect of abutment mobility, site, and angle of impact on retention of (Jacobi et al), 178
interim, two-pour technique for investing (Green and Nimmo), 151
removable, designs for radical maxillectomy, occlusal force transfer by (Schwartzman et al), 397
frameworks, laboratory accuracy in casting (Firtell et al), 856
impression distortion from abutment tooth inclination in (Jasim et al), 532
fixed, bony deposition under (Render), 524

Partial—cont'd
interim tooth-supported removable, denture construction, simplicity in (Chen et al), 740
removable, and fixed denture abutment teeth, six-year report of periodontal health of (Rissin et al), 461
denture castings, radiographic detection of porosities in (Elarbi et al), 674
Pathogenic bacteria, nonoral opportunistic, in dental laboratory pumice, recovery and significance of (Williams et al), 725
Patient(s), complete-denture, new concept in occlusal plane orientation for: Cephalometrically programmed adjustable plane (Monteith), 388
edentulous, cephalometric method to determine angulation of occlusal plane in (Monteith), 81
denture plaque control and inflammation in (Chamberlain et al), 78
full-banded orthodontic, irreversible hydrocolloid impressions for (Drago), 372
referred to temporomandibular joint clinic, factors influencing outcome of treatment in (Wedel and Carlsson), 420
restored with cross-arch fixed partial dentures, chewing ability in (Laurell and Lundgren), 720
with acute temporomandibular joint disorders, management of (Reade et al), 110
internal derangement of temporomandibular joint before and after splint therapy, masseter muscle silent period in (Hanson et al), 846
reduced periodontal support, endodontic considerations in design of acid-etched anterior splints for (Gholston et al), 29
Perforated and etched-metal resin-bonded retainers, experimental comparison between (Brady et al), 361
Perforations, repairing crown (Aquilino et al), 310
Periodontal aid for overdenture abutment teeth, three-in-one (Tips) (Walters), 156
health of fixed and removable partial denture abutment teeth, six-year report of (Rissin et al), 461
support, reduced, endodontic considerations in design of acid-etched anterior splints for patients with (Gholston et al), 29
Perioral and oral cancer, use of intraoral prostheses in external beam radiation of (Epstein et al), 100
Phosphate-bonded investment, incidence of bubbles on samples cast in (Lacy et al), 367
Photoactivated composite resins, postirradiation comparison of (Leung et al), 645
Photoelastic study of stress distribution by mandibular split major connector (Reitz and Caputo), 220
Pin(s) amalgam foundation and pin amalgam restoration (Lambert and Goldfogel), 10
restoration(s) and pin amalgam foundation (Lambert and Goldfogel), 10
cross-splinted, coronal reinforcement with (Lambert et al), 346
placement, dowel, rapid and economic (Tips) (Welsch), 604
self-threading, retention and depth of insertion of two (Van Nieuwenhuysen and Vreven), 496
Placement, dowel pin, rapid and economic (Tips) (Welsch), 604
of medical-grade adhesive silicone denture liner, simplified technique for (Duncan et al), 599
Plane, cephalometrically programmed adjustable: New concept in occlusal plane orientation for complete-denture patients (Monteith), 388
occlusal, cephalometric method to determine angulation of, in edentulous patients (Monteith), 81
for complete dentures, device for establishing (Tips) (Chrystie), 447
orientation, occlusal, for complete-denture patients, new concept in: Cephalometrically programmed adjustable plane (Monteith), 388
tentative occlusal, bitefork modification to aid in orienting (Tips) (Callison), 448
Plaque, denture, control and inflammation in edentulous patient (Chamberlain et al), 78
Plate, lingual, and sublingual bar: Clinical comparison of two mandibular major connector designs (Hansen and Campbell), 805
Polydimethyl siloxane materials in maxillofacial prosthetics: Evaluation and comparison of physical properties (Bell et al), 404
Polymerized, acrylic resin, by four different techniques, physical properties of (Donovan et al), 522
Porcelain(s)-alloy bond strength, effect of metal conditioners on (Bowers et al), 201
combinations, apparent bond strength of nonnoble (Quinones et al), 359
dental, effects of batch variation on shade of (Barghi et al), 625
fracture, effects of porcelain-metal junction angulation on (Woods and Cavazos), 501
-fused-to-metal porcelains, effect of repeated firing on fluorescence of (Ecker et al), 207
-metal junction angulation, effects of, on porcelain fracture (Woods and Cavazos), 501
porcelain-fused-to-metal, effect of repeated firing on fluorescence of (Ecker et al), 207
repair materials, bond strength and microleakage of (Bello et al), 788
shoulder restorations, direct lift-off, separating agent for (Tips) (Chambless and Lorenzana), 606
Porosity(ies) and dimensional stability, influence of variations in preparation of dental amalgam on (Ekstrand et al), 349
composite resin, with hand and syringe insertion (Medlock et al), 47
in removable partial denture castings, radiographic detection of (Elarbi et al), 674
Position, electromyographic relaxed mandibular, in long-faced subjects (Van Sickels et al), 578
Positioners, protrusive (Fox et al), 258
Post(s) and core fabrication, indirect, using die-investment stone (Kanoy and Brantley), 757
cemented, technique for removing (Shemen and Cardash), 200
retention of prefabricated, by cements and resins (Chapman et al), 649
Posterior composite resin restorations, visual aid for (Grego), 763
occlusal morphology, working condylar movement and its effects on (Schulte et al), 118
tooth(teeth), quality assessment of amalgam and inlay restorations on: Retrospective study (Molvar et al), 5
tilted. Part III: Abutment for fixed partial denture (Revah et al), 325
Postirradiation comparison of photoactivated composite resins (Leung et al), 645
Postsoldering of base metal alloys, effects of prewetting on (Bellagamba), 355
Postexcisional recurrent ear keloid, methyl methacrylate stent for prevention of (Hurtado and Crowther), 245
Practice, private, application of prosthodontic techniques in (Mendez), 730
Precious and noble-based casting alloys (Reisbick), 785
Prefabricated posts, retention of, by cements and resins (Chapman et al), 649
Prewetting, effects of, on postsoldering of base metal alloys (Bellagamba), 355
Preimpression preparation for positive recovery of master casts (Sherman), 19
Preparation, preimpression, for positive recovery of master casts (Sherman), 19
Presoldered base metal alloys, flexure test evaluation of (Anusavice et al), 507
Pressure indicators for removable prosthodontics (Firtell et al), 226
Private practice, application of prosthodontic techniques in (Mendez), 730
Properties, viscoelastic, of setting elastomeric impression materials (de Araujo et al), 633
Prosthesis(es), cantilever fixed, replacing maxillary lateral incisor: Design consideration (Goldfogel and Lambert), 477
fixed broken-stress, and ceramometal restorations (Casey et al), 331

Prosthesis(es)—cont'd
interim, modification of surgical obturators to (Jacob et al), 93
intraoral, in external beam radiation of oral and perioral cancer, use of (Epstein et al), 100
modified stock-eye ocular (Taicher et al), 95
temporary intranasal, for surgical defect of septum and columella (Bozzetti et al), 824
Prosthetic(s) and surgical treatment of superficial carcinoma of oral cavity (Aramany and Myers), 820
maxillofacial, polydimethyl siloxane materials in: Evaluation and comparison of physical properties (Bell et al), 404
speech aids, aerodynamic assessment of (Reisberg and Smith), 686
Prosthodontic(s), American Board of (Lang), 863
clinical removable, evaluation system for teaching (Seals et al), 592
fixed and removable, does one articulator meet needs of both? (Smith), 296
esthetic control system for (Behrend), 488
application of microdentistry in (Chou and Pameijer), 36
management of soft palate defect, oral endoscopy in (Beery et al), 241
rehabilitation of midfacial defects (Marunick et al), 553
removable, metal minibases in (Hansen), 442
pressure indicators for (Firtell et al), 226
techniques in private practice, application of (Mendez), 730
Prosthodontist, role of maxillofacial, in detection of recurrent head and neck cancer (Casey), 678
Protrusive positioners (Fox et al), 258
Provisional acrylic resin crowns, marginal adaptation of (Monday and Blais), 194
fixed restoration, aid in making (Tips) (Tarlow), 605
restorations, esthetic, custom shade tabs for (Haywood et al), 621
technique for cementation of (Campagni), 13
Pumice, dental laboratory, recovery and significance of nonoral opportunistic pathogenic bacteria in (Williams et al), 725

R

Radiation, external beam, of oral and perioral cancer, use of intraoral prostheses in (Epstein et al), 100
Radiographic detection of porosities in removable partial denture castings (Elarbi et al), 674
Radiography, comparative, of artificially created mandibular condyle defects (Bashiri and Yale), 263
Reassemble dislodged die, method to (Tips) (Al-Amer), 313
Rebasing complete dentures, alternate simplified technique for (Kotwal and Houston), 598
Record analyzer, centric interocclusal (Hansen et al), 851
Recovery and significance of nonoral opportunistic pathogenic bacteria in dental laboratory pumice (Williams et al), 725
positive, of master casts, preimpression preparation for (Sherman), 19
Recurrent head and neck cancer, role of maxillofacial prosthodontist in detection of (Casey), 678
Reduced occlusal vertical dimension, diagnostically restoring, without permanently altering existing dentures (Hansen), 671
Registration strips, occlusal, thickness and marking characteristics of (Schelb et al), 122
Rehabilitation, prosthodontic, of midfacial defects (Marunick et al), 553
Reinforcement, coronal, with cross-splinted pin amalgam restorations (Lambert et al), 346
Relation, centric, tooth contacts, technique for evaluation of. Part I: During normal temporomandibular joint function (Capp and Clayton), 569
Relationships, occlusal, and temporomandibular joint dysfunction. Part I: Epidemiologic findings (de Laat and van Steenberghe), 835
Reline impression procedure, three-dimensional analysis of maxillary denture displacement during (Javid et al), 232
Remount casts, method for blockout of (Tips) (Jones and Calomeni), 312
Remounting complete denture master cast, reproducible split-cast procedure for (Barrett), 737
Removable and fixed partial denture abutment teeth, six-year report of periodontal health of (Rissin et al), 461
prosthodontics, does one articulator meet needs of both? (Smith), 296
esthetic control system for (Behrend), 488
lid, hollow obturator with (Phankosol and Martin), 98
partial denture(s) castings, radiographic detection of porosities in (Elarbi et al), 674
designs for radical maxillectomy, occlusal force transfer by (Schwartzman et al), 397
existing, making full-coverage restoration on abutment to fit (Getz), 335
frameworks, laboratory accuracy in casting (Firtell et al), 856
impression distortion from abutment tooth inclination in (Jasim et al), 532
interim tooth-supported, denture construction, simplicity in (Chen et al), 740
prosthodontics, clinical, evaluation system for teaching (Seals et al), 592
metal minibases in (Hansen), 442
pressure indicators for (Firtell et al), 226
Removal of resins from acid-etched retainers, thermal and abrasive techniques for (Ullo and Gwinnett), 43
Removing cemented posts, technique for (Shemen and Cardash), 200
dowels in difficult teeth (Bando et al), 34
Repair materials, porcelain, bond strength and microleakage of (Bello et al), 788
Replacement of pantograph styli elastics, device to facilitate (Tips) (Thornton et al), 603
Repositioning splint, ceramometal mandibular, construction of (Laurell), 439
Reproducible split-cast procedure for remounting complete denture master cast (Barrett), 737
Reproducibility index, pantographic, for use in diagnosing temporomandibular joint dysfunction: Report on research (Clayton), 827
of dispensing one brand of irreversible hydrocolloid powder by seven methods (Moor), 144
Resin(s), acrylic, complete denture base, effect of steel strengtheners on fracture resistance of (Ruffino), 75
polymerized by four different techniques, physical properties of (Donovan et al), 522
transitional crowns as matrix, amalgam cores with (Weiner), 187
tray materials, dimensional change of (Goldfogel et al), 284
and amalgam restorations, evaluation of three clinical methods for assessing (Smales and Creaven), 340
cements, retention of prefabricated posts by (Chapman et al), 649
-bonded retainers, experimental comparison between perforated and etched-metal (Brady et al), 361
bonding, chairside electrolytic etching of cast alloys for (Jackson and Healey), 764
carbon fiber acrylic, composite: Investigation of transverse strength (Yazdanie and Mahood), 543
composite, porosity with hand and syringe insertion (Medlock et al), 47
cores, composite, effect of temporary cementing agent on retention of castings for (Gabryl et al), 183
crowns, provisional acrylic, marginal adaptation of (Monday and Blais), 194
curing light-activated composite, through dentin (Chan and Boyer), 643
dental restorative, ultraviolet light–induced yellowing of (Ferracane et al), 483
photoactivated composite, postirradiation comparison of (Leung et al), 645

Resin(s)—cont'd
restoration(s), cervical, with bonding agent, marginal leakage of (Fuks et al), 654
class IV acid-etched retained composite, effect of restoration thickness at cavosurface bevel on (Bagheri and Denehy), 175
posterior composite, visual aid for (Grego), 763
stents, acrylic, for marsupialization (Taicher et al), 818
temporary crown, acrylic, chairside fabrication of (Utley), 736
thermal and abrasive techniques for removal of, from acid-etched retainers (Ullo and Gwinnett), 43
Resistance, fracture, of acrylic resin complete denture base, effect of steel strengtheners on (Ruffino), 75
Rest seat, alternative cingulum (Ivanhoe), 395
Restoration(s), cast, marginal distortion of, induced by cementation (Moore et al), 336
ceramometal, and broken-stress fixed prosthesis (Casey et al), 331
cervical resin, with bonding agent, marginal leakage of (Fuks et al), 654
class IV acid-etched retained composite resin, effect of restoration thickness at cavosurface bevel on (Bagheri and Denehy), 175
composite-veneered amalgam (Gordon et al), 759
cross-splinted pin amalgam, coronal reinforcement with (Lambert et al), 346
direct lift-off porcelain shoulder, separating agent for (Tips) (Chambless and Lorenzana), 606
esthetic provisional, custom shade tabs for (Haywood et al), 621
making full-coverage, on abutment to fit existing removable partial denture (Getz), 335
metal-ceramic, evaluation of ceramic margins for (Cooney et al), 1
pin amalgam, and pin amalgam foundation (Lambert and Goldfogel), 10
posterior composite resin, visual aid for (Grego), 763
provisional fixed, aid in making (Tips) (Tarlow), 605
technique for cementation of (Campagni), 13
quality assessment of amalgam and inlay, on posterior teeth: Retrospective study (Molvar et al), 5
resin, and amalgam, evaluation of three clinical methods for assessing (Smales and Creaven), 340
thickness at cavosurface bevel, effect of, on class IV acid-etched retained composite resin restoration (Bagheri and Denehy), 175
Restorative, dental, resins, ultraviolet light–induced yellowing of (Ferracane et al), 483
dentistry with or without anesthesia, freedom of choice for (Taub et al), 15
materials, four Class V anterior, microleakage at gingival wall with (Welsh and Hembree), 370
Restoring, diagnostically, reduced occlusal vertical dimension without permanently altering existing dentures (Hansen), 671
Retained, class IV acid-etched, composite resin restoration, effect of restoration thickness at cavosurface bevel on (Bagheri and Denehy), 175
Retainers, acid-etched, thermal and abrasive techniques for removal of resins from (Ullo and Gwinnett), 43
resin-bonded, experimental comparison between perforated and etched-metal (Brady et al), 361
Retention and depth of insertion of two self-threading pins (Van Nieuwenhuysen and Vreven), 496
of castings for composite resin cores, effect of temporary cementing agent on (Gabryl et al), 183
fixed partial dentures, effect of abutment mobility, site, and angle of impact on (Jacobi et al), 178
prefabricated posts by cements and resins (Chapman et al), 649
Reusable cavity liner dispensers and cross-contamination (Goho), 803
Reversible hydrocolloid impression material, simplified techniques for preparation and use of (Campagni et al), 167
/irreversible hydrocolloid impression systems, combined: Comparative analysis (Appleby et al), 627
Ridge(s) and border tissues, complete denture secondary impression technique to minimize distortion of (Klein and Broner), 660
augmentation, alveolar, hydroxyapatite for: Indications and problems (Desjardins), 374
edentulous, surgical stent fabrication for hydroxyapatite augmentation of (Barrett), 215
mylohyoid, increased tolerance to complete dentures after surgical modification of (Penhall et al), 230
Rigid and flexible obturation for surgical cleft of soft palate, comparison of (Moore et al), 548
Rims, wax occlusal, alteration of (Tips) (Leary et al), 604
RPA clasp, cast round (Nelson et al), 307

S

Salivary glands, major, mantle irradiation of (Kaplan), 681
Schools, American and Canadian dental, results of survey of complete denture procedures taught in: Update (Levin and Sanders), 302
Seat, alternative cingulum rest (Ivanhoe), 395
Secondary impression technique, complete denture, to minimize distortion of ridge and border tissues (Klein and Broner), 660
Segmental alveolar bone growth, drifting, tipping and supraeruption (Kaplan), 280
Self-threading pins, retention and depth of insertion of two (Van Nieuwenhuysen and Vreven), 496
Semiadjustable articulators, nonarcon, analysis of lateral condylar adjustment of (Taylor et al), 140
technique for transferring information from pantograph tracing to (Gordon and Stoffer), 503
Separating agent for direct lift-off porcelain shoulder restorations (Tips) (Chambless and Lorenzana), 606
Septum and columella, temporary intranasal prosthesis for surgical defect of (Bozzetti et al), 824
Setting elastomeric impression materials, viscoelastic properties of (de Araujo et al), 633
Shade of dental porcelain, effects of batch variation on (Barghi et al), 625
tabs, custom, for esthetic provisional restorations (Haywood et al), 621
Shoulder, 135-degree, for ceramometal margin using end-cutting bur, preparation of (McAdam), 473
restorations, direct lift-off porcelain, separating agent for (Tips) (Chambless and Lorenzana), 606
Side-shift, mandibular lateral, and need for gnathologic instrumentation (Hart and Sakumura), 415
Significance and recovery of nonoral opportunistic pathogenic bacteria in dental laboratory pumice (Williams et al), 725
Silent period durations, measurement of, by hand and commercial device (Plesh and McCall), 715
masseter muscle, in patients with internal derangement of temporomandibular joint before and after splint therapy (Hanson et al), 846
Silicone, medical-grade adhesive, denture liner, simplified technique for placement of (Duncan et al), 599
Site, mobility, and angle of impact, effect of abutment, on retention of fixed partial dentures (Jacobi et al), 178
Soft occlusal splints, occlusal changes following use of (Singh and Berry), 711
palate, comparison of rigid and flexible obturation for (Moore et al), 548
defect, oral endoscopy in prosthodontic management of (Beery et al), 241
tissue response to endosseous titanium oral implants (Toth et al), 564
Soldered connector tensile strength using low-gold content alloys, quantitative study of (Janus et al), 517
Soldering accuracy, verification index to ensure (Trebilcock et al), 657
Solid base working cast (Buchanan and Shay), 152
Solubilized bovine-derived collagen as xenogeneic grafting material, use of (Mishkin et al), 290

Speech aids, prosthetic, aerodynamic assessment of (Reisberg and Smith), 686
Splint(s), acid-etched anterior, for patients with reduced periodontal support, endodontic considerations in design of (Gholston et al), 29
ceramometal mandibular repositioning, construction of (Laurell), 439
occlusal, for treatment of temporomandibular joint dysfunction, following use of, Part II: Technique for evaluation of centric relation tooth contacts (Capp and Clayton), 697
soft occlusal, occlusal changes following use of (Singh and Berry), 711
therapy, masseter muscle silent period in patients with internal derangement of temporomandibular joint before and after (Hanson et al), 846
Splinted-cross pin amalgam restorations, coronal reinforcement with (Lambert et al), 346
Split-cast procedure, reproducible, for remounting complete denture master cast (Barrett), 737
major connector, mandibular, photoelastic study of stress distribution by (Reitz and Caputo), 220
Sputtered metal oxide films, effects of, on ceramic-to-metal bond (Bullard et al), 776
Stability, dimensional, and porosities, influence of variations in preparation of dental amalgam on (Ekstrand et al), 349
Stained-tetracycline, vital rat teeth, structural effects of bleaching on (Ledoux et al), 55
Steel strengtheners, effect of, on fracture resistance of acrylic resin complete denture base (Ruffino), 75
Stent(s), acrylic resin, for marsupialization (Taicher et al), 818
auricular compression (Chalian et al), 560
intranasal, "slush" technique in construction of (McKinstry and Zini), 107
methyl methacrylate, for prevention of postexcisional recurrent ear keloid (Hurtado and Crowther), 245
surgical, fabrication for hydroxyapatite augmentation of edentulous ridge (Barrett), 215
Stock and custom trays, impression material thickness in (Bomberg et al), 170
-eye ocular prosthesis, modified (Taicher et al), 95
Stomatognathic treatment for TMJ dysfunction, acupuncture compared with. Part I: Randomized study (Raustia et al), 581
Stone(s) casts made from impression materials, distortion analysis of (Linke et al), 794
poured from irreversible hydrocolloid impressions, influence of trays on accuracy of (Mendez), 383
dental, compatibility of agar hydrocolloid duplicating materials with (Barrett and Brukl), 586
investment-die, direct post and core fabrication using (Kanoy and Brantley), 757
Strength and creep of dental amalgam: Effects of deviation from recommended preparation procedure (Holland et al), 189
apparent bond, of nonnoble alloy-porcelain combinations (Quinones et al), 359
bond, and microleakage of porcelain repair materials (Bello et al), 788
compressive, measurement and microstructure studies of hydroxyapatite cones (Kangvonkit et al), 691
of two calcium hydroxide bases (Draheim and Murrey), 365
porcelain-alloy bond, effect of metal conditioners on (Bowers et al), 201
soldered connector tensile, using low-gold content alloys, quantitative study of (Janus et al), 517
transverse, investigation of: Carbon fiber acrylic resin composite (Yazdanie and Mahood), 543
Strengtheners, steel, effect of, on fracture resistance of acrylic resin complete denture base (Ruffino), 75
Stress-broken fixed prosthesis and ceramometal restorations (Casey et al), 331
distribution by mandibular split major connector, photoelastic study of (Reitz and Caputo), 220
Strips, occlusal registration, thickness and marking characteristics of (Schelb et al), 122
Styli elastics, pantograph, device to facilitate replacement of (Tips) (Thornton et al), 603
Sublingual bar and lingual plate: Clinical comparison of two mandibular major connector designs (Hansen and Campbell), 805
Submucosal nodular chondrometaplasia in denture wearers (Lello and Makek), 237
Superficial carcinoma of oral cavity, surgical and prosthetic treatment of (Aramany and Myers), 820
Support, reduced periodontal, endodontic considerations in design of acid-etched anterior splints for patients with (Gholston et al), 29
Supraeruption, drifting, tipping, and segmental alveolar bone growth (Kaplan), 280
Surface hardness of dental gypsum products, effect of microwave oven drying on (Luebke and Chan), 431
Surgical and prosthetic treatment of superficial carcinoma of oral cavity (Aramany and Myers), 820
cleft of soft palate, comparison of rigid and flexible obturation for (Moore et al), 548
defect of septum and columella, temporary intranasal prosthesis for (Bozzetti et al), 824
modification of mylohyoid ridges, increased tolerance to complete dentures after (Penhall et al), 230
obturators, modification of, to interim prostheses (Jacob et al), 93
stent fabrication for hydroxyapatite augmentation of edentulous ridge (Barrett), 215
templates for immediate denture insertion (Young et al), 64
Symptom, globus, effect of occlusal adjustment on (Kirveskari and Puhakka), 832
Syndrome, combination: Treatment approach (Schmitt), 664
Syringe and hand insertion, composite resin porosity with (Medlock et al), 47

T

Tabs, custom shade, for esthetic provisional restorations (Haywood et al), 621
Teaching clinical removable prosthodontics, evaluation system for (Seals et al), 592
Techniques for fabricating collarless metal-ceramic crowns, comparison of four (West et al), 636
Templates, surgical, for immediate denture insertion (Young et al), 64
Temporary cementing agent, effect of, on retention of castings for composite resin cores (Gabryl et al), 183
crown, acrylic resin, chairside fabrication of (Utley), 736
intranasal prosthesis for surgical defect of septum and columella (Bozzetti et al), 824
Temporization of severely fractured vital anterior teeth (Webb and Murray), 198
Temporomandibular dysfunction, significant precipitating factor in: Extrinsic trauma (Harkins and Marteney), 271
Joint and Occlusion" to "Craniomandibular Function and Dysfunction," change of section title from (Zarb), 568
before and after splint therapy, masseter muscle silent period in patients with internal derangement of (Hanson et al), 846
clinic, factors influencing outcome of treatment in patients referred to (Wedel and Carlsson), 420
disorders, acute, management of patients with (Reade et al), 110
dysfunction and occlusal relationships. Part I: Epidemiologic findings (de Laat and van Steenberghe), 835
following use of occlusal splint for treatment of, Part II: Technique for evaluation of centric relation tooth contacts (Capp and Clayton), 697
pantographic reproducibility index for use in diagnosing: Report on research (Clayton), 827
function, during normal, Part I: Technique for evaluation of centric relation tooth contacts (Capp and Clayton), 569
Tensile strength, soldered connector, using low-gold content alloys, quantitative study of (Janus et al), 517
Tetracycline-stained, vital rat teeth, structural effects of bleaching on (Ledoux et al), 55

Therapy, splint, masseter muscle silent period in patients with internal derangement of temporomandibular joint before and after (Hanson et al), 846
Thermal and abrasive techniques for removal of resins from acid-etched retainers (Ullo and Gwinnett), 43
Thickness and marking characteristics of occlusal registration strips (Schelb et al), 122
Thumb-chewing guards, custom, technique for constructing (Engelmeier), 153
Tissue(s) conditioners, vacuum treatment of (Nimmo et al), 814
ocular, irritation of, by irreversible hydrocolloids (Moergeli et al), 286
ridge and border, complete denture secondary impression technique to minimize distortion of (Klein and Broner), 660
soft, response to endosseous titanium oral implants (Toth et al), 564
Tipping, drifting, supraeruption, and segmental alveolar bone growth (Kaplan), 280
Titanium, endosseous, oral implants, soft tissue response to (Toth et al), 564
Mystery metal of implant dentistry. Dental materials aspects (Parr et al), 410
TMJ dysfunction, acupuncture compared with stomatognathic treatment for. Part I: Randomized study (Raustia et al), 581
Tolerance, increased, to complete dentures after surgical modification of mylohyoid ridges (Penhall et al), 230
Tooth(teeth), abutment, inclination in removable partial dentures, impression distortion from (Jasim et al), 532
contacts, centric relation, technique for evaluation of. Part I: During normal temporomandibular joint function (Capp and Clayton), 569; Part II: Following use of occlusal splint for treatment of temporomandibular joint dysfunction (Capp and Clayton), 697
difficult, removing dowels in (Bando et al), 34
fixed and removable partial denture abutment, six-year report of periodontal health of (Rissin et al), 461
material, new, clinical wear study of: Part II (Ogle et al), 67
natural and artificial, in vitro study of wear characteristics of (Coffey et al), 273
overdenture abutment, three-in-one periodontal aid for (Tips) (Walters), 156
posterior, quality assessment of amalgam and inlay restorations on: Retrospective study (Molvar et al), 5
severely fractured vital anterior, temporization of (Webb and Murray), 198
-supported, interim, removable partial denture construction, simplicity in (Chen et al), 740
tetracycline-stained vital rat, structural effects of bleaching on (Ledoux et al), 55
tilted posterior. Part III: Abutment for fixed partial denture (Revah et al), 325
Tracing, pantograph, technique for transferring information from, to semiadjustable articulators (Gordon and Stoffer), 503
Transitional crowns, acrylic resin, as matrix, amalgam cores with (Weiner), 187
Transverse strength, investigation of: Carbon fiber acrylic resin composite (Yazdanie and Mahood), 543
Trauma, extrinsic: Significant precipitating factor in temporomandibular dysfunction (Harkins and Marteney), 271
Tray(s), influence of, on accuracy of stone casts poured from irreversible hydrocolloid impressions (Mendez), 383
Tray(s)—cont'd
materials, acrylic resin, dimensional change of (Goldfogel et al), 284
stock and custom, impression material thickness in (Bomberg et al), 170
Treatment approach: Combination syndrome (Schmitt), 664
factors influencing outcome of, in patients referred to a temporomandibular joint clinic (Wedel and Carlsson), 420
surgical and prosthetic, of superficial carcinoma of oral cavity (Aramany and Myers), 820
vacuum, of tissue conditioners (Nimmo et al), 814
Trimming, cast, protection of critical surfaces during (Tips) (Wiskott and Berta), 312

U

Ultraviolet light-induced yellowing of dental restorative resins (Ferracane et al), 483
Undercuts and material bulk, effect of, on accuracy of impression materials (de Araujo and Jorgensen), 791

V

Vacuum treatment of tissue conditioners (Nimmo et al), 814
Variation, batch, effects of, on shade of dental porcelain (Barghi et al), 625
Veneered-composite amalgam restorations (Gordon et al), 759
Veneering materials, three esthetic, leakage study of (Staffanou et al), 204
Verification index to ensure soldering accuracy (Trebilcock et al), 657
Vertical dimension, reduced occlusal, diagnostically restoring, without permanently altering existing dentures (Hansen), 671
Viscoelastic properties of setting elastomeric impression materials (de Araujo et al), 633
Vital anterior teeth, temporization of severely fractured (Webb and Murray), 198
rat teeth, tetracycline-stained, structural effects of bleaching on (Ledoux et al), 55

W

Wafers, laminated wax interocclusal, accuracy of (Millstein), 574
Wall, gingival, microleakage at, with four Class V anterior restorative materials (Welsh and Hembree), 370
Wax, laminated, interocclusal wafers, accuracy of (Millstein), 574
occlusion rims, alteration of (Tips) (Leary et al), 604
Wear characteristics of natural and artificial teeth, in vitro study of (Coffey et al), 273
study, clinical, of new tooth material: Part II (Ogle et al), 67
Wire, wrought, clasp flexibility, influence of fabrication technique on (Stade et al), 538
Working cast, solid base (Buchanan and Shay), 152
condylar movement and its effects on posterior occlusal morphology (Schulte et al), 118
Wrought wire clasp flexibility, influence of fabrication technique on (Stade et al), 538

X

Xenogeneic grafting material, use of solubilized bovine-derived collagen as (Mishkin et al), 290

Y

Yellowing, ultraviolet light-induced, of dental restorative resins (Ferracane et al), 483